



## TP-Link RE650 Verkkotoistin Valkoinen 10, 100, 1000 Mbit/s

**Tuotemerkki :** TP-Link

**Tuotekoodi:** RE650 V1

**Tuotteen nimi :** RE650

TP-Link RE650. Malli: Verkkotoistin, Tiedonsiirtonopeus: 1733 Mbit/s, Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Antennityyppi: Ulkoinen. Kaapelitekniikka: 10/100/1000Base-T(X), Verkkostandardit: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, Wi-Fi-standardit: 802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n). Tuotteen väri: Valkoinen, Sertifiointi: CE. AC-syöttöjännite: 100 - 240 V, AC-syöttötaajuus: 50 - 60 Hz, Tehonkulutus (maks.): 12 W

| Performance                         |  | Design                            |             |
|-------------------------------------|--|-----------------------------------|-------------|
| Type *                              | Network repeater   | On/off switch                     | ✓           |
| Data transfer rate                  | 1733 Mbit/s  | Reset button                      | ✓           |
| Ethernet LAN data rates             | 10,100,1000 Mbit/s   | Certification                     | CE          |
| WPS push button                     | ✓  | <b>Power</b>                      |             |
|                                     | Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 2000, Windows 2000 Professional, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 98SE, Windows NT, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 | AC input voltage                  | 100 - 240 V |
| Windows operating systems supported |  | AC input frequency                | 50 - 60 Hz  |
|                                     |  | Power consumption (max)           | 12 W        |
|                                     |  | <b>Operational conditions</b>     |             |
|                                     |  | Operating relative humidity (H-H) | 10 - 90%    |
|                                     |  | Storage relative humidity (H-H)   | 5 - 90%     |
|                                     |  | <b>Weight &amp; dimensions</b>    |             |
|                                     |  | Width                             | 163 mm      |
|                                     |  | Depth                             | 86.4 mm     |
|                                     |  | Height                            | 40 mm       |
|                                     |  | <b>Packaging content</b>          |             |
|                                     |  | Quick start guide                 | ✓           |
|                                     |  | <b>Packaging data</b>             |             |
|                                     |  | Package type                      | Box         |
|                                     |  | Package width                     | 202 mm      |
|                                     |  | Package depth                     | 125 mm      |
|                                     |  | Package height                    | 97 mm       |
|                                     |  | Package weight                    | 610 g       |
|                                     |  | <b>Certificates</b>               |             |
|                                     |  | Compliance certificates           | RoHS        |
|                                     |  | <b>Logistics data</b>             |             |
|                                     |  | Harmonized System (HS) code       | 85176990    |
| Mac compatibility                   | ✓  |                                   |             |
| Mac operating systems supported     | ✓  |                                   |             |
| Linux operating systems supported   | ✓  |                                   |             |
| <b>Antenna</b>                      |  |                                   |             |
| Antennas quantity                   | 4  |                                   |             |
| Antenna type                        | External   |                                   |             |
| <b>Network</b>                      |  |                                   |             |
| Cabling technology                  | 10/100/1000Base-T(X)   |                                   |             |
| Networking standards                | IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n  |                                   |             |
| Wi-Fi                               | ✓  |                                   |             |
| Wi-Fi standards                     | 802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)   |                                   |             |
| Wi-Fi data rate (max)               | 1733 Mbit/s  |                                   |             |

**Network**

|                     |  |
|---------------------|--|
| Wi-Fi band          | Dual-band (2.4 GHz / 5 GHz)                |
| Security algorithms | 64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK |

**Ports & interfaces**

|                            |   |
|----------------------------|---|
| Ethernet LAN (RJ-45) ports | 1 |
|----------------------------|---|

**Design**

|                |       |
|----------------|-------|
| Product colour | White |
| LED indicators | ✓     |



0845973095857



845973095857



6935364095840

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.