

## APC Power Cord, Locking C19 to CEE/7 Schuko, 3.0m

Brand : APC Product code: AP8755

**Product name :** Power Cord, Locking C19 to CEE/7

Schuko, 3.0m

Power Cord, Locking C19 to CEE/7 Schuko, 3.0m

APC Power Cord, Locking C19 to CEE/7 Schuko, 3.0m:

Free up space and secure power cords between rack-mount PDUs and attached IT equipment with this exclusive easy-to-use cord retention method While these cords will fit into any standard IEC receptacle or power inlet; the locking feature is enabled only when used with APC AP8000 series Rack PDUs or IT equipment with built-in locking receptacles These locking connectors reduce the probability of accidentally disconnecting cords and dropping loads

APC Power Cord, Locking C19 to CEE/7 Schuko, 3.0m. Cable length: 3.05 m. Input current: 16 A

Input current 16 A  Package width 230 mm  Operational conditions Operating temperature (T-T) 0 - 70 °C Storage temperature (T-T) -20 - 70 °C Operating relative humidity (H-H) 20 - 80% Storage relative humidity (H-H) 20 - 80%  Storage relative humidity (H-H) 20 - 80%  Storage relative humidity (H-H) 20 - 80%  Storage relative humidity (H-H) 20 - 80%  Package width 230 mm  Available to 300 mm  Available to	Features		Operational conditions	
Cable length * 3.05 m  Weight & dimensions  Weight & 420 g  Power  Input current 16 A  Packaging data  Package width 230 mm  Operational conditions  Operating temperature (T-T) 0 - 70 °C  Storage temperature (T-T) -20 - 70 °C  Operating relative humidity (H-H) 20 - 80%  Storage relative humidity (H-H) 20 - 80%  Storage relative humidity (H-H) 20 - 80%	Connector 1 gender * Connector 2 gender *	Male Female		
Power Input current Input curr				400
Package width 230 mm  Operational conditions  Operating temperature (T-T) 0 - 70 °C  Storage temperature (T-T) -20 - 70 °C  Operating relative humidity (H-H) 20 - 80%  Storage relative humidity (H-H) 20 - 80%  Storage relative humidity (H-H) 20 - 80%  Package width 230 mm  Package width 240 g  Fackage width 230 mm  Package width 230 mm  Package width 230 mm  Package width 240 g  Fackage weight 340 g  Fackage width 240 g  Fackage weight 340 g  Fackage weight 340 g  Fackage width 240 g  Fackage weight 340 g  Facka	Power		J.	420 g
Operating temperature (T-T) 0 - 70 °C Package weight 420 g  Storage temperature (T-T) -20 - 70 °C  Operating relative humidity (H-H) 20 - 80%  Storage relative humidity (H-H) 20 - 80%  Harmonized System (HS) code 84733080	Input current  Operational conditions	16 A	, and the second	
Operating relative humidity (H-H) 20 - 80%  Storage relative humidity (H-H) 20 - 80%  Harmonized System (HS) code 84733080	Storage temperature (T-T) Operating relative humidity (H-H)	-20 - 70 °C 20 - 80%	Package weight	
				84733080 132.13
			Dimensions (WxDxH)	230 x 45 x 230 mm







731304279792

0731304279792

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.