

## APC Easy 3S uninterruptible power supply (UPS) Doubleconversion (Online) 10 kVA 10000 W

Brand : APC

Product code: E3SUPS10KHB1

Product name : Easy 3S

APC Easy 3S. UPS topology: Double-conversion (Online), Output power capacity: 10 kVA, Output power: 10000 W. Battery technology: Sealed Lead Acid (VRLA), Battery voltage: 220 V, Typical backup time at full load: 15 min. Form factor: Tower, Product colour: White, International Protection (IP) code: IP20. Width: 380 mm, Depth: 928 mm, Height: 1400 mm. Output voltage: 400 V





Features		Design	
UPS topology * Output power capacity * Output power * Waveform * Input operation voltage (min) * Input operation voltage (max) *	put power capacity * 10 kVA put power * 10000 W veform * Pure sine ut operation voltage (min) * 304 V	Form factor * Product colour * International Protection (IP) code Certification	Tower White IP20 CE, EAC, IEC 62040-1-1, IEC 62040-2, IEC 62040-3, IEC 62040-4, ISTA 2B, RCM, WEEE
Input frequency * Output operation voltage (min)	45/65 Hz 380 V	Operational conditions Operating temperature (T-T)	0 - 40 °C
Output operation voltage (max) Output frequency regulation Maximum current	415 V 50/60 Hz 18 A	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-15 - 40 °C 0 - 95% 0 - 95%
Number of input phases Number of output phases	3 3	Operating altitude Non-operating altitude	0 - 999.9 m 0 - 15000 m
Input power factor Output voltage Total Harmonic Distortion (THD)	0.99 3%	Weight & dimensions Width	380 mm
Input current Total Harmonic Distortion (THD) Noise level	3% 60 dB	Depth Height Weight	928 mm 1400 mm 112 kg
Battery		Package width	563 mm
Battery technology Battery voltage Number of batteries supported	Sealed Lead Acid (VRLA) 220 V 3	Package depth Package height Package weight	1014 mm 1640 mm 145 kg
Typical backup time at full load	15 min	Packaging data	
		Quick installation guide	1

Logistics data	
Harmonized System (HS) code	85078000
Other features	
Output voltage	400 V





731304428152

0731304428152



8592978255619

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.