ASUS ProArt PA24AC tietokoneen litteä näyttö 61,2 cm (24.1") 1920 x 1200 pikseliä WUXGA LED Hopea

Tuotemerkki : ASUS Tuoteperhe: ProArt Tuotekoodi: 90LM04B0-

B01370

Tuotteen nimi: PA24AC

ASUS ProArt PA24AC. Näytön halkaisija: 61,2 cm (24.1"), Näytön erottelutarkkuus: 1920 x 1200 pikseliä, HD-tyyppi: WUXGA, Näytön teknologia: LED, Vasteaika (tyypillinen): 5 ms, Vakiokuvasuhde: 16:10, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: Hopea

Display		Ergonomics	
Display diagonal *	61.2 cm (24.1")	VESA mounting *	✓
Display resolution *	1920 x 1200 pixels	Panel mounting interface	100 x 100 mm
HD type *	WUXGA	Cable lock slot *	V
Native aspect ratio *	16:10	Cable lock slot type	Kensington
Display technology *	LED	Height adjustment *	✓
Panel type *	IPS	Height adjustment	11 cm
Touchscreen *	×	Pivot	✓
Display brightness (typical)	350 cd/m ²	Pivot angle	-90 - 90°
Response time *	5 ms	Swivelling	✓ ×
Screen shape *	Flat	Swivel angle range	-45 - 45°
Supported graphics resolutions	1920 x 1200 (WUXGA)	Tilt adjustment	√
Contrast ratio (typical) *	1000:1	Tilt angle range	-5 - 23°
Contrast ratio (dynamic)	100000000:1	Picture-in-Picture	√
Maximum refresh rate * Viewing angle, horizontal	70 Hz 178°	LED indicators	· ·
Viewing angle, vertical	178°		•
Display number of colours *	16.78 million colours	Power	
Viewable size, horizontal	51.8 cm	Energy efficiency class (SDR) *	G
Viewable size, vertical	32.4 cm	Energy efficiency class (HDR) *	G
Digital horizontal frequency	30 - 85 kHz	Energy consumption (SDR) per 1000 hours *	⁾ 28 kWh
Digital vertical frequency	48 - 70 Hz	Energy consumption (HDR) per	
High Dynamic Range (HDR)	/	1000 hours *	29 kWh
supported	•	Power consumption (standby) *	0.5 W
High Dynamic Range (HDR) technology	High Dynamic Range (HDR) 400	Power consumption (off)	0.3 W
Colour depth	8 bit	AC input voltage	100 - 240 V
Colour gamut standard	sRGB	AC input frequency	50 - 60 Hz
sRGB coverage (typical)	100%	Energy efficiency scale	A to G
3D	×	European Product Registry for Energy Labelling (EPREL) code	387775
Performance			
		Operational conditions	
NVIDIA G-SYNC *	×	Operating temperature (T-T)	0 - 40 °C
AMD FreeSync *	×	Storage temperature (T-T)	-20 - 60 °C
VESA Adaptive Sync support	✓	Weight & dimensions	
Flicker-free technology	✓	Width (with stand)	532 mm
Low Blue Light technology	✓	Depth (with stand)	202 mm
Multimedia		Height (with stand)	378 mm
Number of speakers	2	Weight (with stand)	6.5 kg
RMS rated power	4 W	Width (without stand)	532 mm
Built-in speaker(s) *	✓	Depth (without stand)	55 mm
Built-in camera *	×	Height (without stand) Weight (without stand)	349 mm 4.28 kg
	··	Height (max)	4.28 kg 48.8 cm
Design		ricigite (max)	10.0 cm
Market positioning *	Graphics design		

Design		Packaging data	
Product colour *	Silver	Package width	650 mm
Frameless design	✓	Package depth	430 mm
Feet colour	Silver	Package height	260 mm
Ports & interfaces		Package weight Package type	9 kg Box
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Packaging content	ВОХ
USB upstream port type	USB Type-C		
Number of upstream ports	1	Stand included	✓
Number of USB Type-C upstream	1	Cables included	AC
ports quantity		Manual	✓
USB Type-A downstream ports quantity	4	Other features	
USB Type-C downstream ports quantity	1	On/off switch	✓
DVI port	×	Rotating	×
HDMI ports quantity	2	TV tuner integrated	×
HDMI version	2.0a	Picture-by-Picture (PbP)	✓
DisplayPorts quantity	1	level , CU, ErP, FCC, ISO-9241-3 J-MOSS, KCC, Mac ComplianPSE TCO7.0, UkrSEPRO, UL/cUL, VC WEEE, WHQL , MEPS, TUV Flick free , KC , eStandby, TUV Low B	Energy Star®, BSMI, CB, CCC, CEL
DisplayPort version	1.2		level, CU, ErP, FCC, ISO-9241-307,
Headphone out *	✓		TCO7.0, UkrSEPRO, UL/cUL, VCCI,
Headphone outputs	1		WEEE, WHQL, MEPS, TUV Flicker-
HDCP	✓		Light, Vietnam MEPS, ICES-3, RCM,
AC (power) in	✓		VESA DisplayHDR 400
		Logistics data	
		Harmonized System (HS) code	85285210









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.