



## ATEN KE6910 KVM -kytkin Lähetin & vastaanotin

**Tuotemerkki :** ATEN

**Tuotekoodi:** KE6910-AX-G

**Tuotteen nimi :** KE6910

ATEN KE6910. Malli: Lähetin & vastaanotin, Yhteysteknologia: Langallinen, Suurin siirtoetäisyys: 10000 m. Lähettimen videoportin tyyppi: DVI-D, Lähettimen paikallisen videoportin tyyppi: DVI-D, Lähettimen paikallisen näppäimistön/hiiren porttityyppi: USB. Vastaanottimen paikallisen videoportin tyyppi: DVI-D, Vastaanottimen paikallisen näppäimistön/hiiren porttityyppi: USB. USB-portin tyyppi: USB A-tyyppi. AC-adapterin lähtöjännite: 5 V, Tehonkulutus (lähetin) (max): 10,02 W, Tehonkulutus (vastaanotin) (max): 9,02 W



Features		Power	
Type *	Transmitter & receiver	Power consumption (transmitter) (max)	10.02 W
Connectivity technology *	Wired	Power consumption (receiver) (max)	9.02 W
Maximum transfer distance	10000 m	<b>Weight &amp; dimensions</b>	
Cable types supported	Cat5	Transmitter width	16.3 cm
Rack mounting	✓	Transmitter depth	21.5 cm
Maximum digital resolution	2560 x 2048 pixels	Transmitter height	4.18 cm
KVM port selection	Push-buttons	Transmitter weight	1.13 kg
On Screen Display (OSD)	✓	Receiver width	17.2 cm
Product colour	Black	Receiver depth	22.8 cm
Material	Metal	Receiver height	5.48 cm
LED indicators	✓	Receiver weight	1.26 kg
Certification	RoHS	<b>Packaging data</b>	
<b>Transmitter</b>		Package width	247 mm
Transmitter video port type	DVI-D	Package depth	556 mm
Transmitter local video port	✓	Package height	153 mm
Transmitter local video port type	DVI-D	Package weight	4.61 kg
Transmitter local keyboard/mouse port type	USB	<b>Packaging content</b>	
RJ-45 ports quantity (transmitter)	1	AC adapter included	✓
<b>Receiver</b>		Cables included	AC, KVM
Receiver local video port type	DVI-D	Manual	✓
Receiver local keyboard/mouse port type	USB	<b>Operational conditions</b>	
RJ-45 ports quantity (receiver)	1	Operating temperature (T-T)	0 - 50 °C
<b>Ports &amp; interfaces</b>		Storage temperature (T-T)	-20 - 60 °C
USB port type	USB Type-A	Operating relative humidity (H-H)	0 - 95%
USB 2.0 ports quantity	4	<b>Technical details</b>	
RS-232 ports	2	Weight	3.62 kg
RJ-45 ports quantity	2	<b>Logistics data</b>	
PC Audio in	✓	Master (outer) case net weight	3.62 kg
PC Audio out	✓	Harmonized System (HS) code	84733080
<b>Power</b>		Master (outer) case width	247 mm
AC adapter output voltage	5 V	Master (outer) case length	556 mm

**Logistics data**

Master (outer) case height	153 mm
Master (outer) case gross weight	4.61 kg
Products per master (outer) case	1 pc(s)



4719264648267

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date