

## BenQ LW820ST data projector Standard throw projector 3600 ANSI lumens DLP WXGA (1280x800) White

Brand: BenQ Product code: 9H.JJK77.33E

**Product name:** LW820ST

 $LW820ST, DLP, 1280x800, 3600 \ lum, \ 16:10, RMS \ 10 \ W, \ HDMI, \ MHL, \ VGA, \ RCA, \ S-Video, \ RJ-45, \ USB, \ IR, 100-240V, 410x158x272 \ mm$ 

BenQ LW820ST. Projector brightness: 3600 ANSI lumens, Projection technology: DLP, Projector native resolution: WXGA (1280x800). Light source type: Laser, Service life of light source: 20000 h. Focus: Manual, Focal length range: 7.46 - 7.46 mm, Aperture range (F-F): 2.79 - 2.79. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1200 (WUXGA), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size





| Projector                                                                                                                                                                 |                                                                                                                                                                             | Network                           |                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Screen size compatibility * Contrast ratio (dynamic) Projector brightness * Projection technology * Projector native resolution * Native aspect ratio * Number of colours | 1524 - 3048 mm (60 - 120")<br>3000000:1<br>3600 ANSI lumens<br>DLP<br>WXGA (1280x800)<br>16:10<br>1.073 billion colours<br>-30 - 30°<br>-30 - 30°<br>1.65 cm (0.65")<br>DMD | Wi-Fi *                           | X                                                                                                                                                                                                                                                                                                |
|                                                                                                                                                                           |                                                                                                                                                                             | Storage                           |                                                                                                                                                                                                                                                                                                  |
|                                                                                                                                                                           |                                                                                                                                                                             | Card reader integrated *          | ×                                                                                                                                                                                                                                                                                                |
|                                                                                                                                                                           |                                                                                                                                                                             | Features                          |                                                                                                                                                                                                                                                                                                  |
|                                                                                                                                                                           |                                                                                                                                                                             | Noise level (economic mode)       | 29 dB                                                                                                                                                                                                                                                                                            |
|                                                                                                                                                                           |                                                                                                                                                                             | On Screen Display (OSD)           | ✓                                                                                                                                                                                                                                                                                                |
| Keystone correction, horizontal Keystone correction, vertical Matrix size Matrix type                                                                                     |                                                                                                                                                                             | On Screen Display (OSD) languages | Arabic, Bulgarian, Simplified<br>Chinese, Traditional Chinese,<br>Croatian, Czech, Danish, German,<br>English, Spanish, Finnish, French,<br>Greek, Hindi, Hungarian,<br>Indonesian, Italian, Japanese,<br>Korean, Norwegian, Polish,<br>Portuguese, Romanian, Russian,<br>Swedish, Thai, Turkish |
| Light source                                                                                                                                                              |                                                                                                                                                                             |                                   |                                                                                                                                                                                                                                                                                                  |
| Light source type * Service life of light source *                                                                                                                        | Laser<br>20000 h                                                                                                                                                            |                                   |                                                                                                                                                                                                                                                                                                  |
|                                                                                                                                                                           | 2000011                                                                                                                                                                     | Number of OSD languages           | 28                                                                                                                                                                                                                                                                                               |
| Lens system                                                                                                                                                               |                                                                                                                                                                             | Noise level *                     | 33 dB                                                                                                                                                                                                                                                                                            |
| Focus *                                                                                                                                                                   | Manual<br>7.46 - 7.46 mm<br>2.79 - 2.79<br>Fixed                                                                                                                            | Multimedia                        |                                                                                                                                                                                                                                                                                                  |
| Focal length range Aperture range (F-F)                                                                                                                                   |                                                                                                                                                                             | Built-in speaker(s) *             | ✓                                                                                                                                                                                                                                                                                                |
| Zoom type                                                                                                                                                                 |                                                                                                                                                                             | RMS rated power                   | 10 W                                                                                                                                                                                                                                                                                             |
| Throw ratio                                                                                                                                                               | 0.52                                                                                                                                                                        | Number of built-in speakers       | 1                                                                                                                                                                                                                                                                                                |
| Offset                                                                                                                                                                    | 106.1%                                                                                                                                                                      | Design                            |                                                                                                                                                                                                                                                                                                  |
| Video                                                                                                                                                                     |                                                                                                                                                                             | Market positioning *              | Presentation                                                                                                                                                                                                                                                                                     |
| Analog signal format system * 3D *                                                                                                                                        | NTSC, PAL, SECAM<br><b>★</b>                                                                                                                                                | Product type * Product colour *   | Standard throw projector<br>White                                                                                                                                                                                                                                                                |
| 56                                                                                                                                                                        |                                                                                                                                                                             | Placement                         | Desktop                                                                                                                                                                                                                                                                                          |
|                                                                                                                                                                           | 640 X 480 (VGA). 1920 X 1200                                                                                                                                                |                                   |                                                                                                                                                                                                                                                                                                  |
| Supported graphics resolutions                                                                                                                                            | 640 x 480 (VGA), 1920 x 1200<br>(WUXGA)                                                                                                                                     | Cable lock slot                   | <b>✓</b>                                                                                                                                                                                                                                                                                         |
|                                                                                                                                                                           | (WUXGA)<br>480i, 480p, 576i, 576p, 720p, 1080i,                                                                                                                             | Cable lock slot type              | <b>√</b><br>Kensington                                                                                                                                                                                                                                                                           |
| Supported video modes                                                                                                                                                     | (WUXGA)                                                                                                                                                                     | Cable lock slot type  Display     | Kensington                                                                                                                                                                                                                                                                                       |
| Supported video modes  Ports & interfaces                                                                                                                                 | (WUXGA)<br>480i, 480p, 576i, 576p, 720p, 1080i,<br>1080p                                                                                                                    | Cable lock slot type              | •                                                                                                                                                                                                                                                                                                |
| Supported graphics resolutions Supported video modes  Ports & interfaces  HDMI connector type S-Video inputs quantity                                                     | (WUXGA)<br>480i, 480p, 576i, 576p, 720p, 1080i,                                                                                                                             | Cable lock slot type  Display     | Kensington                                                                                                                                                                                                                                                                                       |

| Ports & interfaces                                                                                                                                                                                                      |                 | Power                                                                                                                                                                                                                                                                     |                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| USB 2.0 ports quantity * Mini-USB 2.0 ports quantity Audio (L/R) in * Microphone in Serial interface type * PC Audio in PC Audio out VGA (D-Sub) ports quantity * HDMI ports quantity * Composite video in * DVI port * | 1 1 1 1  KS-232 | Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (economy mode) AC input voltage AC input frequency  Operational conditions  Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) | 283 W<br>0.5 W<br>320 W<br>234 W<br>100 - 240 V<br>50 - 60 Hz<br>0 - 40 °C<br>-20 - 60 °C<br>10 - 90% |
| Mobile High-Definition Link (MHL)  Network                                                                                                                                                                              | n Link (MHL) 🗸  | Storage relative humidity (H-H)  Operating altitude                                                                                                                                                                                                                       | 10 - 90%<br>0 - 1499 m                                                                                |
| Smart TV * Ethernet LAN * Ethernet LAN (RJ-45) ports                                                                                                                                                                    | <b>X</b> ✓ 1    | Weight & dimensions Width Depth Height Weight *                                                                                                                                                                                                                           | 410 mm<br>272 mm<br>158 mm<br>5.6 kg                                                                  |
|                                                                                                                                                                                                                         |                 | Packaging content  Remote control included *  Batteries included  Cables included  Manual                                                                                                                                                                                 | ✓<br>✓<br>AC, VGA                                                                                     |

