



BenQ MW855UST+ dataprojektori Lähietäisyysprojektori 3500 ANSI lumenia DLP WXGA (1280x800) 3D musta, Valkoinen

Tuotemerkki : BenQ

Tuotekoodi: 9H.JKS77.24E

Tuotteen nimi : MW855UST+

BenQ MW855UST+. Projektorin kirkkaus: 3500 ANSI lumenia, Projektionteknologia: DLP, Projektorin oletusresoluutio: WXGA (1280x800). Valonlähteen tyyppi: Lamppu, Valonlähteen käyttöikä: 5000 h, Valonlähteen käyttöikä (säästötila): 8000 h. Tarkennus: Ohje, Kiinteä polttoväli: 2,5 mm, Aukkoalue (F-F): 2,5 - 2,5. Analogisen signaalin järjestelmä: NTSC, PAL, SECAM, Tuetut grafiikan erottelutarkkuudet: 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 832 x 624, 1024 x 768 (XGA), 1152 x 864 (XGA+), 1152..., Tuetut videomoodit: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Sarjaliitännän tyyppi: RS-232, HDMI-liitäntätyyppi: Täysikokoinen



| Projector | | Network | |
|----------------------------------------------|----------------------------|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Screen size compatibility * | 2032 - 2540 mm (80 - 100") | Smart TV * | ✗ |
| Projector brightness * | 3500 ANSI lumens | Ethernet LAN * | ✓ |
| Projection technology * | DLP | Ethernet LAN (RJ-45) ports | 1 |
| Projector native resolution * | WXGA (1280x800) | Wi-Fi * | ✗ |
| Contrast ratio (typical) * | 10000:1 | Storage | |
| Native aspect ratio * | 16:10 | Card reader integrated * | ✗ |
| Number of colours | 1.073 billion colours | Features | |
| Horizontal scan range | 15 - 102 kHz | Noise level (economic mode) | 29 dB |
| Vertical scan range | 23 - 120 Hz | On Screen Display (OSD) | ✓ |
| Keystone correction, horizontal | -15 - 15° | On Screen Display (OSD) languages | Arabic, Bulgarian, Simplified Chinese, Traditional Chinese, Croatian, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Romanian, Russian, Swedish, Thai, Turkish |
| Keystone correction, vertical | -15 - 15° | Number of OSD languages | 28 |
| Matrix size | 1.65 cm (0.65") | Noise level * | 34 dB |
| Matrix type | DMD | Multimedia | |
| Light source | | Built-in speaker(s) * | ✓ |
| Light source type * | Lamp | RMS rated power | 20 W |
| Service life of light source * | 5000 h | Number of built-in speakers | 2 |
| Service life of light source (economic mode) | 8000 h | Design | |
| Lamp power | 240 W | Product type * | Ultra short throw projector |
| Lamps quantity | 1 lamp(s) | Product colour * | Black, White |
| Lens system | | Placement | Desktop |
| Focus * | Manual | | |
| Fixed focal length | 2.5 mm | | |
| Aperture range (F-F) | 2.5 - 2.5 | | |
| Zoom type | Fixed | | |
| Throw ratio | 0.35 | | |
| Vertical lens shift range | -2 - 2% | | |
| Offset | 122% | | |

| Video | | Design | |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-------------|
| Analog signal format system * | NTSC, PAL, SECAM | Cable lock slot | ✓ |
| 3D * | ✓ | Cable lock slot type | Kensington |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 832 x 624, 1024 x 768 (XGA), 1152 x 864 (XGA+), 1152 x 870, 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1280 x 800 (WXGA), 1280 x 960, 1360 x 768 (WXGA), 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1600 x 1200 (UXGA), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA) | Display | |
| Supported video modes | 480i, 480p, 576i, 576p, 720p, 1080i, 1080p | Built-in display * | ✗ |
| Ports & interfaces | | Power | |
| HDMI connector type | Full-size | Power source * | AC |
| USB 2.0 ports quantity | 1 | Power consumption (typical) * | 320 W |
| USB 2.0 Type-B ports quantity | 1 | Power consumption (standby) * | 0.5 W |
| Mini-USB 2.0 ports quantity | 1 | Power consumption (max) | 350 W |
| Audio (L/R) in * | 1 | Power consumption (economy mode) | 260 W |
| Serial interface type * | RS-232 | AC input voltage | 100 - 240 V |
| PC Audio in | ✓ | AC input frequency | 50 - 60 Hz |
| PC Audio out | ✓ | Operational conditions | |
| VGA (D-Sub) ports quantity * | 2 | Operating temperature (T-T) | 0 - 40 °C |
| HDMI ports quantity * | 2 | Storage temperature (T-T) | -20 - 60 °C |
| Composite video in * | 1 | Operating relative humidity (H-H) | 10 - 90% |
| DVI port * | ✗ | Storage relative humidity (H-H) | 10 - 90% |
| AC (power) in | ✓ | Weight & dimensions | |
| | | Width | 287.5 mm |
| | | Depth | 373.3 mm |
| | | Height | 206.9 mm |
| | | Weight * | 5 kg |
| | | Packaging content | |
| | | Remote control included * | ✓ |
| | | Batteries included | ✓ |
| | | Cables included | AC, VGA |
| | | Manual | ✓ |
| | | Logistics data | |
| | | Harmonized System (HS) code | 85286200 |



4718755077456

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date