



TP-Link Archer MR600 langaton reititin Gigabitti Ethernet Kaksitaajuus (2,4 GHz/5 GHz) 4G musta

Tuotemerkki : TP-Link

Tuotekoodi: ARCHER MR600 V1

Tuotteen nimi : Archer MR600

TP-Link Archer MR600. WAN -liitintyyppi: RJ-45. Wi-Fi-taajuus: Kaksitaajuus (2,4 GHz/5 GHz), Wi-Fi-standardi: Wi-Fi 5 (802.11ac), WLAN-tiedonsiirtonopeus (maks.): 867 Mbit/s. Ethernet LAN -käyttöliittymän tyyppi: Gigabitti Ethernet, Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s, Verkkostandardit: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Mobiliverkon sukupolvi: 4G, 3G-standardit: HSPA, HSPA+, UMTS, 4G-standardit: LTE. Tietoturva-algoritmit: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK, Palomuurisuojaus: Domain Filter, IP, MAC Address Binding



WAN connection		Security	
Ethernet WAN *	✓	Stateful Packet Inspection (SPI)	✓
DSL WAN *	✗	DoS attack prevention	✓
SIM card slot *	✓	Parental control	✓
3G/4G USB modem compatibility *	✗	Filtering	✓
WAN connection type	RJ-45	URL filtering	✓
Wireless LAN features		DMZ support	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Protocols	
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)	DHCP client	✓
WLAN data transfer rate (max) *	867 Mbit/s	DHCP server	✓
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Universal Plug and Play (UPnP)	✓
WLAN data transfer rate (first band)	867 Mbit/s	Routing protocols	IP
WLAN data transfer rate (second band)	300 Mbit/s	Supported network protocols	IPv4, IPv6
Network		Design	
Ethernet LAN *	✓	Product colour	Black
Ethernet LAN interface type *	Gigabit Ethernet	Wall mountable	✗
Ethernet LAN data rates	10,100,1000 Mbit/s	LED indicators	LAN, Power, WLAN
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Product type *	Tabletop router
Port forwarding	✓	Certificates	
Port triggering	✓	Certification	CE, RoHS
Dynamic DNS (DDNS)	✓	Packaging content	
Number of guest networks (2.4 GHz)	1	Cables included	LAN (RJ-45)
Number of guest networks (5 GHz)	1	AC adapter included	✓
VPN support	PPTP VPN, IPSec VPN, OpenVPN	Quick installation guide	✓
		Antenna	
		Antenna design *	External

Network		Antenna	
Receiver sensitivity	5 GHz: 11a 54M: -74 dBm 11ac HT20: -66 dBm 11ac HT40: -63 dBm 11ac HT80 : -59 dBm 11n HT20: -73 dBm 11n HT40: -70 dBm 2.4 GHz: 11g 54M: -74 dBm 11n HT20: -72 dBm 11n HT40: -69 dBm	Antennas quantity	2
		Detachable antenna(s)	✓
Mobile network		Power	
Mobile network generation	4G	Power source type *	AC, DC
3G	✓	AC input voltage	100 - 240 V
4G	✓	AC input frequency	50 - 60 Hz
5G	✗	Output voltage	12 V
Dual SIM support	✗	Output current	1.5 A
3G standards	HSPA, HSPA+, UMTS	Operational conditions	
4G standard	LTE	Operating temperature (T-T)	0 - 40 °C
UMTS bands supported	850,900,2100 MHz	Storage temperature (T-T)	-40 - 70 °C
4G bands supported	700,800,850,900,1800,2100,2300,2500,2600 MHz	Operating relative humidity (H-H)	10 - 90%
SIM card type	MicroSIM	Storage relative humidity (H-H)	5 - 90%
Ports & interfaces		System requirements	
Ethernet LAN (RJ-45) ports *	4	Windows operating systems supported	✓
USB port *	✗	Linux operating systems supported	✓
Memory card slot(s)	✗	Mac operating systems supported	✓
DC-in jack	✓	Weight & dimensions	
Management features		Width	229 mm
Wi-Fi Multimedia (WMM)/(WME)	✓	Depth	160 mm
Quality of Service (QoS) support	✓	Height	37 mm
Reset button	✓	Packaging data	
WPS push button	✓	Package width	307 mm
Security		Package depth	223 mm
Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK	Package height	70 mm
Firewall	✓	Package type	Box
Firewall security	Domain Filter, IP, MAC Address Binding	Number of products included	1 pc(s)
Guest access	✓	Logistics data	
		Harmonized System (HS) code	85176990



6935364086152



6935364086145



6935364089832

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.