

ASUS PRIME X570-PRO AMD X570 Kanta AM4 ATX

Tuotemerkki : ASUS

Tuotekoodi: 90MB11B0-M0EAY0

Tuotteen nimi : PRIME X570-PRO

ASUS PRIME X570-PRO. Suoritinvalmistaja: AMD, Prosessorin kanta: Kanta AM4, Yhteensopivat prosessorit: AMD Ryzen 2000 Series, AMD Ryzen 3000 Series. Tuetut muistityypit: DDR4-SDRAM, Sisäinen enimmäismuisti: 128 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: SATA III. Tuettu rinnakkaiskäsitteleteknologia: 2-Way CrossFireX, 2-Way SLI, 3-Way CrossFireX, Enimmäiserottelutarkkuus: 4096 x 2160 pikseliä. HDMI-versio: 2.0b




Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	DisplayPorts quantity	1
Processor socket *	Socket AM4	DisplayPort version	1.2
Compatible processor series *	AMD Ryzen 2000 Series, AMD Ryzen 3000 Series	S/PDIF out port	✓
Memory		Network	
Supported memory types *	DDR4-SDRAM	Ethernet LAN	✓
Number of memory slots *	4	LAN controller	Intel® I211-AT
Memory slots type	DIMM	Wi-Fi *	✗
Maximum internal memory *	128 GB	Features	
Unbuffered memory	✓	Motherboard chipset *	AMD X570
Storage controllers		Audio chip	Realtek ALC S1220A
Supported storage drive interfaces *	SATA III	Audio output channels *	8.0 channels
Graphics		Component for *	PC
Parallel processing technology support *	2-Way CrossFireX, 2-Way SLI, 3-Way CrossFireX	Motherboard form factor *	ATX
Maximum resolution	4096 x 2160 pixels	Motherboard chipset family *	AMD
Internal I/O		Windows operating systems supported	Windows 10 x64
USB 2.0 connectors *	2	Expansion slots	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	PCI Express x16 (Gen 3.x) slots	2
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	BIOS	
Number of SATA III connectors *	6	BIOS type *	UEFI AMI
Rear panel I/O ports		BIOS memory size	256 Mbit
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	ACPI version	6.2
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	3	System Management BIOS (SMBIOS) version	3.2
		Logistics data	
		Harmonized System (HS) code	84733020

Rear panel I/O ports		Weight & dimensions	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Width	305 mm
Ethernet LAN (RJ-45) ports *	1	Depth	244 mm
PS/2 ports quantity	1	Height	68 mm
HDMI ports quantity *	1	Other features	
HDMI version	2.0b	Weight	900 g
		Number of Ultra M.2 (M) slots	1



4718017254014



0192876254011



192876254011

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.