

ZYXEL

Zyxel GS1350-6HP-EU0101F network switch Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Grey

Brand : Zyxel

Product code: GS1350-6HP-EU0101F

Product name : GS1350-6HP-EU0101F



- Auto camera recovery
- Large power budget
- Up to 250 meters transmission
- Intuitive PoE usage LED
- Enhanced surge & ESD protection

GS1350-6HP, 6 Port managed CCTV PoE switch, long range, 60W, 802.3BT

Zyxel GS1350-6HP-EU0101F. Switch type: Managed, Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 5. MAC address table: 8000 entries, Switching capacity: 12 Gbit/s. Networking standards: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE.... DC input voltage: 52 - 57 V. Power over Ethernet (PoE). Wall mountable



Management features		Security	
Switch type *	Managed	Security algorithms	SNMP, SNMPv3, SSH, SSL/TLS
Switch layer	L2	MAC address filtering	✓
Web-based management	✓	Loop protection	✓
Configuring Location Settings (CLI)	✓	Queue scheduling algorithms	SPQ, WFQ, Weighted Round Robin (WRR)
System event log	✓		
MIB support	RFC 1066, RFC 1213, 1157, RFC 1493, RFC 1643, RFC 1757, RFC 2011, 2012, 2013, RFC 2233, RFC 2358, RFC 2674, RFC 2819, 2925, RFC 3621, RFC 4293, RFC 4292, RFC 4022, RFC 4113		
Ports & interfaces		Multicast features	
Basic switching RJ-45 Ethernet ports quantity *	5	Multicast support	✓
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)		
SFP module slots quantity	1	Design	
Network		Product colour	Grey
Networking standards *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3bt, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	LED indicators	✓
10G support *	✗	Wall mountable	✓
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T	Performance	
Port mirroring	✓	Firmware upgradeable	✓
Flow control support	✓	Mean time between failures (MTBF)	2021885.87 h
Broadcast storm control	✓	Power	
		Power supply included *	✓
		DC input voltage	52 - 57 V
		Power consumption (max)	72 W
		Power over Ethernet (PoE)	
		Power over Ethernet (PoE) *	✓
		Power over Ethernet (PoE) ports quantity	5
		Total Power over Ethernet (PoE) budget	60 W
		Operational conditions	
		Operating temperature (T-T)	-20 - 50 °C

Network		Operational conditions	
Rate limiting	✓	Storage temperature (T-T)	-40 - 70 °C
Spanning tree protocol	✓	Operating relative humidity (H-H)	5 - 95%
VLAN support	✓	Storage relative humidity (H-H)	5 - 95%
Virtual LAN features	MAC address-based VLAN, Port-based VLAN	Heat dissipation	245.52 BTU/h
Number of VLANs	256	Weight & dimensions	
Optical fiber		Width	193 mm
Fiber ethernet cabling technology	1000BASE-X	Depth	84 mm
Data transmission		Height	26 mm
Switching capacity *	12 Gbit/s	Weight	410 g
Forwarding rate	8.9 Mpps	Logistics data	
MAC address table *	8000 entries	Harmonized System (HS) code	85176990
Packet buffer memory	0.525 MB		
Security			
DHCP features	DHCP client, DHCP relay, DHCP snooping		
IGMP snooping	✓		
IGMP proxy	✓		



4718937604500



4718937604487

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.