

ZYXEL

Zyxel GS1350-26HP-EU0101F verkkokytkin Hallittu L2 Gigabit Ethernet (10/100/1000) Power over Ethernet -tuki Harmaa

Tuotemerkki : Zyxel

Tuotekoodi: GS1350-26HP-EU0101F

Tuotteen nimi : GS1350-26HP-EU0101F

Zyxel GS1350-26HP-EU0101F. Kytkin tyyppi: Hallittu, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 24. MAC-osoitetaulukko: 8000 entries, Kytkentäkapasiteetti: 52 Gbit/s. Verkkostandardit: IEEE 802.1D, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ad, IEEE 802.3af, IEEE.... Power over Ethernet -tuki. Telineasennus



| Management features | | Multicast features | |
|---|--|--|-----------------------------------|
| Switch type * | Managed | Multicast support | ✓ |
| Switch layer | L2 | Design | |
| Web-based management | ✓ | Rack mounting * | ✓ |
| Configuring Location Settings (CLI) | ✓ | Product colour | Grey |
| System event log | ✓ | LED indicators | ✓ |
| MIB support | RFC 1066, RFC 1213, 1157, RFC 1493, RFC 1643, RFC 1757, RFC 2011, 2012, 2013, RFC 2233, RFC 2358, RFC 2674, RFC 2819, 2925, RFC 3621, RFC 4293, RFC 4292, RFC 4022, RFC 4113 | Electromagnetic compatibility | CE, FCC, C-Tick, A; BSMI CNS13438 |
| Ports & interfaces | | Performance | |
| Basic switching RJ-45 Ethernet ports quantity * | 24 | Noise level | 40.1 dB |
| Basic switching RJ-45 Ethernet ports type * | Gigabit Ethernet (10/100/1000) | Firmware upgradeable | ✓ |
| Combo SFP ports quantity | 2 | Mean time between failures (MTBF) | 888495 h |
| Network | | Power | |
| Networking standards * | IEEE 802.1D, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z | AC input voltage | 100 - 240 V |
| 10G support * | ✗ | AC input frequency | 50 - 60 Hz |
| Copper ethernet cabling technology | 10BASE-T, 100BASE-TX, 1000BASE-T | Power consumption (max) | 448.9 W |
| Port mirroring | ✓ | Power over Ethernet (PoE) | |
| Flow control support | ✓ | Power over Ethernet (PoE) * | ✓ |
| Broadcast storm control | ✓ | Power over Ethernet (PoE) ports quantity | 24 |
| Rate limiting | ✓ | Total Power over Ethernet (PoE) budget | 375 W |
| | | Operational conditions | |
| | | Operating temperature (T-T) | -20 - 50 °C |
| | | Storage temperature (T-T) | -40 - 70 °C |
| | | Operating relative humidity (H-H) | 5 - 95% |
| | | Storage relative humidity (H-H) | 5 - 95% |
| | | Heat dissipation | 1530.75 BTU/h |

| Network | | Weight & dimensions | |
|-----------------------------------|---|-----------------------------|----------|
| Spanning tree protocol | ✓ | Width | 441 mm |
| VLAN support | ✓ | Depth | 270 mm |
| Virtual LAN features | MAC address-based VLAN, Port-based VLAN | Height | 44 mm |
| Number of VLANs | 256 | Weight | 3.58 kg |
| Optical fiber | | Packaging content | |
| Fiber ethernet cabling technology | 1000BASE-X | Cables included | AC |
| | | Rack mount kit | ✓ |
| Data transmission | | Logistics data | |
| Switching capacity * | 52 Gbit/s | Harmonized System (HS) code | 85176990 |
| Forwarding rate | 38.7 Mpps | | |
| MAC address table * | 8000 entries | | |
| Packet buffer memory | 0.525 MB | | |
| Security | | | |
| DHCP features | DHCP client, DHCP relay, DHCP snooping | | |
| IGMP snooping | ✓ | | |
| IGMP proxy | ✓ | | |
| Security algorithms | SNMP, SNMPv3, SSH, SSL/TLS | | |
| Loop protection | ✓ | | |
| Queue scheduling algorithms | SPQ, WFQ, Weighted Round Robin (WRR) | | |



4718937604463



0760559126353



760559126353

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.