Epson EH-TW7100 Standard throw projector 3000 ANSI lumens 3LCD UHD 4K (3840x2160) 3D White

Brand: Epson Product code: V11H959040

Product name: EH-TW7100

- 4K PRO-UHD for crisp, clear images: Watch native 4K and upscale non-4K content
- Easy to set up and access content: Stream content by plugging devices into either of the two HDMI ports
- High-quality and affordable: Flexible features that deliver a 4K experience at an affordable price
- Engaging big screen experience: Get the best out of movies, sports and gaming
- Watch a movie a day for seven years: 5,000 hours lamp life in Eco mode $\,$

3LCD, 3000 lum, 4K PRO-UHD, 16:9, 100000:1, 32dB, 387W, 6.9kg

Epson EH-TW7100. Projector brightness: 3000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: UHD 4K (3840x2160). Light source type: Lamp, Service life of light source: 3500 h, Service life of light source (economic mode): 5000 h. Focus: Manual, Focal length range: 18.2 - 29.2 mm, Aperture range (F-F): 1.49 - 1.77. Supported 3D technologies: Samsung Active 3D, Supported 3D formats: Side by side, Top and bottom, Supported graphics resolutions: 3840 x 2160. Serial interface type: RS-232C





Projector		Features	
Screen size compatibility * 1016 - 12700 mm (40 - 500") Projection distance 2.95 - 4.77 m Projector brightness * 3000 ANSI lumens Projection technology * 3LCD Projector native resolution * UHD 4K (3840x2160) Contrast ratio (typical) * 100000:1 Native aspect ratio * 16:9 Number of colours 1.07 billion colours Vertical scan range 192 - 240 Hz Keystone correction, horizontal -30 - 30° Keystone correction, vertical -30 - 30° Matrix size 1.55 cm (0.61") White light output 3000 ANSI lumens Colour light output 3000 ANSI lumens	2.95 - 4.77 m 3000 ANSI lumens 3LCD UHD 4K (3840x2160) 100000:1 16:9 1.07 billion colours 192 - 240 Hz	Noise level (economic mode) Noise level * 2D/3D frequency image Country of origin Multimedia	24 dB 32 dB 240/480 Hz Philippines
		Built-in speaker(s) * RMS rated power Number of built-in speakers	✓ 10 W 2
	Design Market positioning * Product type * Product colour * Placement	Home cinema Standard throw projector White Ceiling, Desktop	
Light source		Cable lock slot	V
Light source type * Service life of light source * Service life of light source (economic mode)	Lamp 3500 h 5000 h	Cable lock slot type Display Built-in display *	Kensington ×
Lamp type Lamp power	UHE 250 W	Power Power source *	AC
Lens system		Power consumption (typical) *	387 W
Manual Focus * Manual Focal length range 18.2 - 29.2 mm Aperture range (F-F) 1.49 - 1.77 Zoom capability ✓ Zoom type Manual	Power consumption (standby) * Power consumption (PowerSave) Power consumption (economy mode) AC input voltage AC input frequency	0.5 W 297 W 297 W 100-240 V 50 - 60 Hz	
Throw ratio Horizontal lens shift range	1.32 - 2.15:1 -24 - 24%	Operational conditions	
Vertical lens shift range Video	-60 - 60%	Operating temperature (T-T) Storage temperature (T-T)	5 - 30 °C -10 - 60 °C
Full HD *	/	Operating relative humidity (H-H) Storage relative humidity (H-H)	20 - 80% 10 - 90%
3D *	Company Action 3D	Weight & dimensions	
Supported 3D technologies Supported 3D formats Supported graphics resolutions	Samsung Active 3D Side by side, Top and bottom 3840 x 2160	Width Depth	410 mm 310 mm

Video		Weight & dimensions	
Supported video modes Video processing Video colour modes	2160p 10 bit Auto, Cinema, Dynamic, Natural, Bright cinema	Height Weight * Package width Package depth	157 mm 6.9 kg 495 mm 500 mm
Ports & interfaces USB 2.0 ports quantity	2	Package height Package weight	235 mm 8.95 kg
Mini-USB 2.0 ports quantity 1	1	Packaging content	
Audio (L/R) out Serial interface type * HDMI ports quantity * DVI port *	1 RS-232C 2 X	Remote control included * Batteries included Cables included Manual	AC
Network		WLAN adapter included	✓
Smart TV * Ethernet LAN * Wi-Fi *	x x x	Logistics data Quantity per pack Products per pallet	1 pc(s) 18 pc(s)
Storage Card reader integrated *	×	Pallet gross weight Products per pallet (UK) Pallet weight (UK) Harmonized System (HS) code	0 g 36 pc(s) 0 g 85286200



8715946670843

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.