



## D-Link DWL-8620AP WLAN-tukiasema 2533 Mbit/s Valkoinen Power over Ethernet -tuki

**Tuotemerkki :** D-Link

**Tuotekoodi:** DWL-8620AP

**Tuotteen nimi :** DWL-8620AP

D-Link DWL-8620AP. 2,4 GHz, 5 GHz, Tiedonsiirron enimmäisnopeus: 2533 Mbit/s. Tietoturva-algoritmit: AES, TKIP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Power over Ethernet -tuki. Tuotteen väri: Valkoinen. Tehonkulutus (maks.): 24,24 W



Features		Technical details	
2.4 GHz *	✓	Shipping (inner) case length	44.9 cm
5 GHz *	✓	Shipping (inner) case width	31.2 cm
Maximum data transfer rate *	2533 Mbit/s	Shipping (inner) case height	32.8 cm
Maximum data transfer rate (2.4 GHz)	800 Mbit/s	Shipping (inner) case net weight	7.33 kg
Maximum data transfer rate (5 GHz)	1733 Mbit/s	Products per shipping (inner) case	5 pc(s)
Ethernet LAN data rates	10,100,1000 Mbit/s	Pallet gross weight (air)	222.3 kg
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11k, IEEE 802.11n, IEEE 802.1s, IEEE 802.3, IEEE 802.3ab, IEEE 802.3at, IEEE 802.3u	Master (outer) cases per pallet (air)	24 pc(s)
		Products per pallet (air)	120 pc(s)
		Pallet gross length	110 cm
		Pallet gross width	120 cm
Automatic channel selection	✓	Pallet height (air)	144.7 cm
MIMO	✓	Pallet gross weight (sea)	272 kg
Wi-Fi Multimedia (WMM)/(WME)	✓	Master (outer) cases per pallet (sea)	30 pc(s)
Fast roaming	✓	Products per pallet (sea)	150 pc(s)
Band steering	✓	Pallet height (sea)	177.5 cm
Airtime Fairness (ATF)	✓	Shipping (inner) case gross weight	8.2 kg
Quality of Service (QoS) support	✓	<b>Certificates</b>	
<b>Security</b>		Certification	CE
Security algorithms *	AES, TKIP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise	<b>Weight &amp; dimensions</b>	
MAC address filtering	✓	Width	220 mm
Number of SSID supported	32	Depth	220 mm
Auto Wireless Distribution System (WDS)	✓	Height	47 mm
<b>Protocols</b>		Weight	790 g
Management protocols	SNMP v1/v2c/v3	<b>Packaging data</b>	
<b>Management features</b>		Package width	295 mm
Command-line interface (CLI)	✓	Package depth	296 mm
<b>Ports &amp; interfaces</b>		Package height	94 mm
Ethernet LAN (RJ-45) ports *	2	Package weight	1.47 kg
DC-in jack	✓	<b>Packaging content</b>	
<b>Power</b>		Quantity per pack	1 pc(s)
Power over Ethernet (PoE) *	✓	Quick start guide	✓
AC input voltage	12 V	<b>Operational conditions</b>	
Input current	2.5 A	Operating relative humidity (H-H)	0 - 40%
		Operating temperature (T-T)	-20 - 65 °C
		Storage temperature (T-T)	10 - 90 °C
		Storage relative humidity (H-H)	5 - 95%

Power		Logistics data	
Power consumption (max)	24.24 W	Harmonized System (HS) code	85176990
Design			
Product colour *	White		
Housing material	Plastic		
Antenna			
Antenna type *	Internal		
Antenna direction type	Omni-directional		
Antennas quantity	2		
Antenna gain level (max)	4 dBi		



0790069441400



790069441400



0790069441219



790069441219

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.