



D-Link DBS-2000-28 verkkokytin Hallittu L2 Gigabit Ethernet (10/100/1000) Harmaa

Tuotemerkki : D-Link

Tuotekoodi: DBS-2000-28

Tuotteen nimi : DBS-2000-28

D-Link DBS-2000-28. Kytin tyyppi: Hallittu, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 24, Console-portti: RJ-45. Kytkentäkapasiteetti: 56 Gbit/s. Verkkostandardit: IEEE 802.3ad. Telineasennus



Management features		Operational conditions	
Switch type *	Managed	Operating temperature (T-T)	-5 - 50 °C
Switch layer	L2	Storage temperature (T-T)	-20 - 70 °C
Web-based management	✓	Operating relative humidity (H-H)	0 - 95%
Ports & interfaces		Storage relative humidity (H-H)	0 - 95%
Basic switching RJ-45 Ethernet ports quantity *	24	Operating altitude	0 - 1500 m
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Heat dissipation	59.09 BTU/h
Combo SFP ports quantity	4	Weight & dimensions	
Console port	RJ-45	Width	440 mm
Network		Depth	140 mm
Networking standards *	IEEE 802.3ad	Height	44 mm
10G support *	✗	Weight	2.15 kg
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T	Packaging data	
Link aggregation	✓	Package width	250 mm
Auto MDI/MDI-X	✓	Package depth	492 mm
Spanning tree protocol	✓	Package height	72 mm
Data transmission		Package weight	3.11 kg
Switching capacity *	56 Gbit/s	Technical details	
Forwarding rate	41.7 Mpps	Shipping (inner) case height	29.2 cm
Packet buffer memory	4.1 MB	Shipping (inner) case width	38.1 cm
Security		Shipping (inner) case length	51 cm
IGMP snooping	✓	Shipping (inner) case net weight	15.5 kg
Security algorithms	WPA, WPA2	Products per shipping (inner) case	5 pc(s)
Design		Pallet gross weight (air)	413.3 kg
Rack mounting *	✓	Master (outer) cases per pallet (air)	24 pc(s)
Product colour	Grey	Products per pallet (air)	120 pc(s)
LED indicators	✓	Pallet gross length	110 cm
Number of fans	0 fan(s)	Pallet gross width	120 cm
		Pallet height (air)	131.8 cm
		Pallet gross weight (sea)	610.8 kg
		Master (outer) cases per pallet (sea)	36 pc(s)
		Products per pallet (sea)	180 pc(s)

Performance		Technical details	
Built-in processor	✓	Pallet height (sea)	190.2 cm
Processor frequency	500 MHz	Shipping (inner) case gross weight	16.4 kg
Memory type	DDR3-SDRAM	Logistics data	
Internal memory	256 MB	Harmonized System (HS) code	85176990
Flash memory	32 MB		
Mean time between failures (MTBF)	992594 h		
Power			
AC input voltage	100 - 240 V		
Power consumption (max)	17.32 W		
Power over Ethernet (PoE)			
Power over Ethernet (PoE) *	✗		



0790069442957



790069442957

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.