



## D-Link DBS-2000-28P verkkokytkin Hallittu L2 Gigabit Ethernet (10/100/1000) Power over Ethernet -tuki Harmaa

**Tuotemerkki :** D-Link

**Tuotekoodi:** DBS-2000-28P

**Tuotteen nimi :** DBS-2000-28P



D-Link DBS-2000-28P. Kytkin tyyppi: Hallittu, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 24. Kytkentäkapasiteetti: 56 Gbit/s. Verkkostandardit: IEEE 802.3ad, IEEE 802.3at. Power over Ethernet -tuki. Telineasennus



Management features		Power over Ethernet (PoE)	
Switch type *	Managed	Total Power over Ethernet (PoE) budget	193 W
Switch layer	L2		
Ports & interfaces		Operational conditions	
Basic switching RJ-45 Ethernet ports quantity *	24	Operating temperature (T-T)	-5 - 50 °C
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Storage temperature (T-T)	-20 - 70 °C
Combo SFP ports quantity	4	Operating relative humidity (H-H)	0 - 95%
		Storage relative humidity (H-H)	0 - 95%
		Operating altitude	0 - 1500 m
		Heat dissipation	900.36 BTU/h
Network		Weight & dimensions	
Networking standards *	IEEE 802.3ad, IEEE 802.3at	Width	440 mm
10G support *	✗	Depth	250 mm
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T	Height	44 mm
Link aggregation	✓	Weight	3.75 kg
Auto MDI/MDI-X	✓		
Spanning tree protocol	✓	Packaging data	
Data transmission		Package width	365 mm
Switching capacity *	56 Gbit/s	Package depth	521 mm
Forwarding rate	41.7 Mpps	Package height	92 mm
Packet buffer memory	4.1 MB	Package weight	5.04 kg
Security		Technical details	
IGMP snooping	✓	Shipping (inner) case height	39.3 cm
Security algorithms	WPA, WPA2	Shipping (inner) case width	29.5 cm
		Shipping (inner) case length	53.9 cm
		Shipping (inner) case net weight	15.1 kg
		Products per shipping (inner) case	3 pc(s)
		Pallet gross weight (air)	403.5 kg
		Master (outer) cases per pallet (air)	24 pc(s)
		Products per pallet (air)	72 pc(s)
		Pallet gross length	110 cm
		Pallet gross width	120 cm
		Pallet height (air)	131.4 cm
Design			
Rack mounting *	✓		
Product colour	Grey		
LED indicators	✓		
Number of fans	0 fan(s)		

Performance		Technical details	
Built-in processor	✓	Pallet gross weight (sea)	660 kg
Processor frequency	500 MHz	Master (outer) cases per pallet (sea)	40 pc(s)
Memory type	DDR3-SDRAM	Products per pallet (sea)	120 pc(s)
Internal memory	256 MB	Pallet height (sea)	2.1 m
Flash memory	32 MB	Shipping (inner) case gross weight	16 kg
Mean time between failures (MTBF)	469262 h		
Power		Logistics data	
AC input voltage	100 - 240 V	Harmonized System (HS) code	85176990
Power consumption (max)	263.9 W		
Power over Ethernet (PoE)			
Power over Ethernet (PoE) *	✓		
Power over Ethernet plus (PoE+) ports quantity	24		
Power over Ethernet (PoE) power per port	30 W		



0790069442964



790069442964

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.