

## D-Link DBS-2000-52MP verkkokytin Hallittu L2 Gigabit Ethernet (10/100/1000) Power over Ethernet -tuki Harmaa

**Tuotemerkki :** D-Link

**Tuotekoodi:** DBS-2000-52MP

**Tuotteen nimi :** DBS-2000-52MP



D-Link DBS-2000-52MP. Kytin tyyppi: Hallittu, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 48, Console-portti: RJ-45. Kytkentäkapasiteetti: 104 Gbit/s. Verkkostandardit: IEEE 802.3ad, IEEE 802.3at. Power over Ethernet -tuki. Telineasennus

<b>Management features</b>		<b>Power over Ethernet (PoE)</b>	
Switch type *	Managed	Power over Ethernet (PoE) power per port	30 W
Switch layer	L2	Total Power over Ethernet (PoE) budget	370 W
Web-based management	✓		
<b>Ports &amp; interfaces</b>		<b>Operational conditions</b>	
Basic switching RJ-45 Ethernet ports quantity *	48	Operating temperature (T-T)	-5 - 50 °C
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Storage temperature (T-T)	-20 - 70 °C
Combo SFP ports quantity	4	Operating relative humidity (H-H)	0 - 95%
Console port	RJ-45	Storage relative humidity (H-H)	0 - 95%
<b>Network</b>		<b>Weight &amp; dimensions</b>	
Networking standards *	IEEE 802.3ad, IEEE 802.3at	Width	440 mm
10G support *	✗	Depth	430 mm
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T	Height	44 mm
Link aggregation	✓	Weight	6.26 kg
Auto MDI/MDI-X	✓	<b>Packaging data</b>	
Spanning tree protocol	✓	Package width	558 mm
<b>Data transmission</b>		Package depth	568 mm
Switching capacity *	104 Gbit/s	Package height	149 mm
Forwarding rate	77.4 Mpps	Package weight	8.66 kg
Packet buffer memory	12 MB	<b>Technical details</b>	
<b>Security</b>		Shipping (inner) case height	59.8 cm
IGMP snooping	✓	Shipping (inner) case width	31.5 cm
Security algorithms	WPA, WPA2	Shipping (inner) case length	57.4 cm
<b>Design</b>		Shipping (inner) case net weight	17.3 kg
Rack mounting *	✓	Products per shipping (inner) case	2 pc(s)
Product colour	Grey	Pallet gross weight (air)	242.7 kg
LED indicators	✓	Master (outer) cases per pallet (air)	12 pc(s)
		Products per pallet (air)	24 pc(s)
		Pallet gross length	110 cm
		Pallet gross width	120 cm

Performance		Technical details	
Built-in processor	✓	Pallet height (air)	133.1 cm
Processor frequency	700 MHz	Pallet gross weight (sea)	354.8 kg
Memory type	DDR3-SDRAM	Master (outer) cases per pallet (sea)	18 pc(s)
Internal memory	256 MB	Products per pallet (sea)	36 pc(s)
Flash memory	32 MB	Pallet height (sea)	192.9 cm
Mean time between failures (MTBF)	236406 h	Shipping (inner) case gross weight	18.6 kg
Power		Logistics data	
AC input voltage	100 - 240 V	Harmonized System (HS) code	85176990
Power consumption (max)	478.9 W		
Power over Ethernet (PoE)			
Power over Ethernet (PoE) *	✓		
Power over Ethernet (PoE) ports quantity	48		



0790069442988



790069442988

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.