

## **TP-Link TL-SG1008MP Hallitsematon Gigabit Ethernet** (10/100/1000) Power over Ethernet -tuki 1U musta

Tuotemerkki : TP-Link

Tuotekoodi: TL-SG1008MP V2



Tuotteen nimi : TL-SG1008MP

TP-Link TL-SG1008MP. Kytkin tyyppi: Hallitsematon. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 8. Täysin kaksipuolinen. MAC-osoitetaulukko: 4000 entries, Kytkentäkapasiteetti: 16 Gbit/s. Verkkostandardit: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x. Power over Ethernet -tuki. Telineasennus, Kotelo: 1U



Management features		Performance	
-	University of		100
Switch type *	Unmanaged	Maximum cable length	100 m
Ports & interfaces		Power	
Basic switching RJ-45 Ethernet ports quantity *	8	Power source * Power supply included *	AC/PoE
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	AC input voltage	100 - 240 V
Gigabit Ethernet (copper) ports quantity	8	AC input frequency Power consumption (max)	50/60 Hz 173.65 W
Network		Power over Ethernet (PoE)	
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE) * Power over Ethernet plus (PoE+) ports quantity	<ul><li>✓</li><li>8</li></ul>
10G support * Copper ethernet cabling technology	× 10BASE-T, 100BASE-TX, 1000BASE-	Total Power over Ethernet (PoE) budget	153 W
	I	Operational conditions	
Cable types supported	Cat3, Cat4, Cat5, Cat5e ✔	Operating temperature (T-T)	0 - 40 °C
Full duplex		Storage temperature (T-T)	-40 - 70 °C
Half duplex	1	Operating relative humidity (H-H)	10 - 90%
Flow control support	1	Storage relative humidity (H-H)	5 - 90%
Auto MDI/MDI-X	4	Heat dissipation	592.15 BTU/h
Auto-negotiation	1	Weight & dimensions	
MAC address auto-learning supported	<ul> <li>Image: A start of the start of</li></ul>	Width	294 mm 180 mm
MAC address auto-aging supported	1	Depth Height	44 mm
Data transmission		Packaging content	
Switching capacity *	16 Gbit/s	Cables included	AC
Forwarding rate	11.904 Mpps	User guide	AC 🗸
MAC address table *	4000 entries	5	
Store-and-forward	1	Rack mount kit	1
Jumbo frames support	1	Packaging data	
Jumbo frames	16000	Package type	Box
Packet buffer memory	1.5 MB	Package width	250 mm
		Package depth	400 mm

Design		Packaging data	
Rack mounting *	1	Package height	80 mm
Stackable *	×	Package weight	2.11 kg
Form factor	1U	Sustainability	
Product colour	bur Black	Sustainability compliance	1
Housing material	Metal	Certificates	
LED indicators	<ul> <li>Image: A set of the set of the</li></ul>	certificates	
Number of fans 1 fan(s)	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS	


Logistics data

Harmonized System (HS) code

85176990









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.