Canon

Canon i-SENSYS LBP7780Cx Colour 9600 x 600 DPI A4

Brand : Canon Product family: i-SENSYS Product code: 6140B001

Product name: LBP7780Cx

 $Colour \ Laser, \ Duplex, \ 32ppm, \ 9600x600 \ dpi, \ 500-sh, \ A4/Lgl, \ LCD, \ 768MB, \ USB \ 2.0, \ Gigabit \ Ethernet, \ 52dB(A), \ 1270W, \ 31kg, \ White/Black$

Canon i-SENSYS LBP7780Cx. Print technology: Laser, Colour. Number of print cartridges: 4, Maximum duty cycle: 75000 pages per month. Maximum resolution: 9600 x 600 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 32 ppm, Duplex printing. Display: LCD. Network ready. Product colour: Black, White





Printing		Network	
Print speed (black, draft quality,	32 ppm	Network ready	✓
A4/US Letter)		Wi-Fi *	×
Colour *	✓	Ethernet LAN *	✓
Print technology *	Laser	Security algorithms	802.1x RADIUS
Duplex printing *	✓	Performance	
Maximum resolution *	9600 x 600 DPI	Internal memory *	768 MB
Print speed (black, normal quality, A4/US Letter) *	32 ppm	Processor frequency	528 MHz
Warm-up time	39 s	Sound pressure level (printing)	52 dB
Time to first page (black, normal)	10.2 s	Sound power level (standby)	32.4 dB
Time to first page (colour, normal)	10.4 s	Design	
Print margins (top, bottom, right, left)	5 mm	Product colour *	Black, White
Features		Display	LCD
	75000	Power	
Maximum duty cycle *	75000 pages per month	Power consumption (printing) *	580 W
Printing colours *	Black, Cyan, Magenta, Yellow 4	Power consumption (standby)	35 W
Number of print cartridges * Page description languages *	PCL 5c, PCL 6, PostScript 3, UFRII-LT		1 W
	rel se, rel o, rostscript s, or kii-Li	AC input voltage	220 - 240 V
Input & output capacity		AC input frequency	50 - 60 Hz
Total number of input trays *	1	System requirements	
Total input capacity *	500 sheets	System requirements	Windows 7 House Basis Windows 7
Total output capacity *	200 sheets		Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	100 sheets		
Paper handling			Professional x64, Windows 7
Maximum ISO A-series paper size *	A4	Windows operating systems supported	Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Maximum print size	216 x 356 mm		
Paper tray media types *	Envelopes, Labels, Plain paper, Recycled paper, Transparencies		
ISO A-series sizes (A0A9) *	A4, A5, A6		
ISO B-series sizes (B0B9)	B5		
Non-ISO print media sizes	Executive, Legal, Letter, Statement		
Envelopes sizes	7 3/4, 10, C5, DL		
Custom media width	76.2 - 215.9 mm		
Custom media length	127 - 355.6 mm		
Paper tray media weight	60 - 163 g/m²		
			101035101101 X04

Paper handling		System requirements	
Multi-Purpose Tray media weight	60 - 216 g/m ²	Mac operating systems supported	Mac OS X 10.5 Leopard
Ports & interfaces		Linux operating systems supported	/
Standard interfaces U	USB 2.0	Server operating systems supported	Windows Server 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 x64
		Operational conditions	
		Operating temperature (T-T)	10 - 30 °C
		Operating relative humidity (H-H) Operating temperature (T-T)	20 - 80% 50 - 86 °F
		Sustainability	
		Sustainability certificates	ENERGY STAR
		Weight & dimensions	
		Weight Dimensions (WxDxH)	31 kg 517 x 530 x 401 mm
		Other features	
		Mac compatibility	✓
		Networking features	Gigabit Ethernet
		Power LED	✓
		Stand-by LED	✓
		Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u



4960999849850

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.