


StarTech.com PEXUSB3S7 liitäntäkortti/-sovitin Sisäinen SATA, USB 3.2 Gen 1 (3.1 Gen 1)

Tuotemerkki : StarTech.com

Tuotekoodi: PEXUSB3S7

Tuotteen nimi : PEXUSB3S7

StarTech.com PEXUSB3S7. Isäntäkoneen käyttöliittymä: PCIe, Lähtöliitäntä: SATA, USB 3.2 Gen 1 (3.1 Gen 1), Laajennuskortin muotokerroin: Full-height / Low-profile. Tuotteen väri: Vihreä, Metallinen, Kaapelin enimmäispituus: 3 m, Keskimääräinen vikaantumisaika: 1920042 h. Piirisarja: Renesas/NEC - μPD720201, μPD720210, Tiedonsiirtonopeus (maks.): 5 Gbit/s. Windows-käyttöjärjestelmätuki: Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64,..., Tuetut palvelinkäyttöjärjestelmät: Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows.... Tuotteen leveys: 15 mm, Tuotteen syvyys: 105 mm, Tuotteen korkeus: 120 mm



Ports & interfaces		System requirements	
Host interface *	PCIe	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	
Output interface *	SATA, USB 3.2 Gen 1 (3.1 Gen 1)		
Expansion card form factor	Full-height / Low-profile		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	6		
Internal SATA ports quantity	1		
Internal USB 3.2 Gen 1 (3.1 Gen 1) ports quantity	1		
Internal *	✓		
Product colour	Green, Metallic		
Maximum cable length	3 m		
Mean time between failures (MTBF)	1920042 h		
Certification	CE, FCC, TAA	Windows operating systems supported	
Features			
Chipset	Renesas/NEC - μPD720201, μPD720210		
Data transfer rate (max)	5 Gbit/s		
UASP support	✓		
Operational conditions			
Operating temperature (T-T)	5 - 50 °C		
Storage temperature (T-T)	-25 - 70 °C		
Operating relative humidity (H-H)	20 - 80%		

System requirements

Linux operating systems supported	✓
Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019

Technical details

Compliance certificates	RoHS
-------------------------	------

Weight & dimensions

Width	15 mm
Depth	105 mm
Height	120 mm
Weight	72 g

Packaging data

Mounting brackets included	✓
Drivers included	✓
Manual	✓
Package width	143 mm
Package depth	176 mm
Package height	32 mm
Package weight	150 g

Logistics data

Harmonized System (HS) code	84733020
-----------------------------	----------



0065030860345



065030860345



5054629708408

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.