

StarTech.com 1 Port PCI Express PCIe Gigabit Network Server Adapter NIC Card - Dual Profile

Brand : StarTech.com

Product code: ST1000SPEX2

Product name : 1 Port PCI Express PCIe Gigabit Network Server Adapter NIC Card - Dual Profile



StarTech.com 1 Port PCIe Gigabit Network Server Adapter NIC Card - Dual Profile - Gigabit Desktop Adapter REV E Intel 6 Chip support

StarTech.com 1 Port PCI Express PCIe Gigabit Network Server Adapter NIC Card - Dual Profile. Internal. Connectivity technology: Wired, Host interface: PCI Express, Interface: Ethernet. Maximum data transfer rate: 1000 Mbit/s



| Ports & interfaces | | System requirements | |
|-----------------------------------|--|--|------------|
| Connectivity technology * | Wired | Linux operating systems supported | ✓ |
| Host interface * | PCI Express | Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 | |
| Interface * | Ethernet | Server operating systems supported | |
| Ethernet LAN (RJ-45) ports | 1 | | |
| Network | | Operational conditions | |
| Maximum data transfer rate * | 1000 Mbit/s | Operating temperature (T-T) | 0 - 70 °C |
| Networking standards * | IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x | Storage temperature (T-T) | 0 - 100 °C |
| Ethernet LAN | ✓ | Operating relative humidity (H-H) | 10 - 90% |
| Ethernet interface type | Gigabit Ethernet | Weight & dimensions | |
| Ethernet LAN data rates | 10,100,1000 Mbit/s | Width | 120.3 mm |
| Cabling technology | 10/100/1000BaseT(X) | Depth | 67.9 mm |
| Wi-Fi | ✗ | Height | 18 mm |
| Wake-on-LAN ready | ✓ | Weight | 40 g |
| Auto MDIX IEEE | ✓ | Packaging data | |
| Full duplex | ✓ | Drivers included | ✓ |
| Jumbo frames support | ✓ | Low-profile bracket | ✓ |
| Jumbo frames | 9000 | Package width | 142 mm |
| Supported network protocols | CSMA/CD | Package depth | 171 mm |
| Design | | Package height | 32 mm |
| Internal * | ✓ | Package weight | 126 g |
| Chipset | Realtek RTL8111E | Packaging content | |
| LED indicators | Activity, Link | Manual | ✓ |
| Mean time between failures (MTBF) | 376212 h | Technical details | |
| Certification | CE, FCC | Compliance certificates | RoHS |

| System requirements | | Logistics data | |
|-------------------------------------|---|-------------------------------|--------------------|
| | Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 | Harmonized System (HS) code | 85176990 |
| | | Other features | |
| | | Supported data transfer rates | 10/100/1000 Mbit/s |
| Windows operating systems supported | | | |
| Mac operating systems supported | Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard | | |




0065030849265



065030849265



5053866622355



5054484241904

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.