

## StarTech.com 1 Port PCI Express PCIe Gigabit NIC Server Adapter Network Card - Low Profile

**Brand :** StarTech.com

**Product code:** ST1000SPEX2L

**Product name :** 1 Port PCI Express PCIe Gigabit NIC Server Adapter Network Card - Low Profile



StarTech.com 1 Port PCI Express PCIe Gigabit NIC Server Adapter Network Card- Low Profile PCI Express Gigabit LAN Card - PCIe Network Card

StarTech.com 1 Port PCI Express PCIe Gigabit NIC Server Adapter Network Card - Low Profile. Internal. Connectivity technology: Wired, Host interface: PCI Express, Interface: Ethernet. Maximum data transfer rate: 1000 Mbit/s



<b>Ports &amp; interfaces</b>		<b>System requirements</b>	
Connectivity technology *	Wired	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Host interface *	PCI Express		
Interface *	Ethernet		
<b>Network</b>		<b>Operational conditions</b>	
Maximum data transfer rate *	1000 Mbit/s	Operating temperature (T-T)	0 - 70 °C
Networking standards *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Storage temperature (T-T)	0 - 100 °C
Ethernet LAN	✓	Operating relative humidity (H-H)	10 - 90%
Ethernet LAN data rates	10,100,1000 Mbit/s	<b>Weight &amp; dimensions</b>	
Cabling technology	10/100/1000BaseT(X)	Width	18 mm
Auto MDIX IEEE	✓	Depth	70 mm
Full duplex	✓	Height	49 mm
Jumbo frames support	✓	Weight	27 g
Jumbo frames	9000	<b>Packaging data</b>	
Supported network protocols	CSMA/CD	Package width	173 mm
<b>Design</b>		Package depth	144 mm
Internal *	✓	Package height	31 mm
Chipset	Realtek - RTL8111H	Package weight	125 g
LED indicators	Activity, Link	<b>Packaging content</b>	
Certification	CE, FCC, REACH	Manual	✓
		<b>Technical details</b>	
		Compliance certificates	RoHS
		<b>Logistics data</b>	
		Harmonized System (HS) code	85176990
		<b>Other features</b>	
		Power LED	✓

System requirements	Other features
Windows operating systems supported	Link/Act LED <span style="float: right;">✓</span>
Mac operating systems supported	
Linux operating systems supported	✓



0065030852265



065030852265



5054484496236

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.