StarTech.com SV231DPDDUA2 KVM-kytkin musta

Tuotemerkki: StarTech.com Tuotekoodi: SV231DPDDUA2

Tuotteen nimi: SV231DPDDUA2

StarTech.com SV231DPDDUA2. Näppäimistöportin liitin: USB, Hiiriportin liitin: USB, Videoportin tyyppi: DisplayPort. HD-tyyppi: 4K Ultra HD, Enimmäiserottelutarkkuus: 3840 x 2160 pikseliä. Tuotteen väri: musta, Sertifiointi: CE, FCC, REACH, TAA. Tulojännite: 100 - 240 V, Syöttöjännite: 1.5 A, Ulostulojännite: 12 V. Vaatimustenmukaisuustodistukset: RoHS





| Ports & interfaces | | Power | |
|----------------------------------|---|-----------------------------------|----------------|
| Number of computers controlled * | 2 | Output voltage | 12 V |
| Keyboard port type * | USB | Output current | 0.6 A |
| Mouse port type * | USB | External power adapter | ✓ |
| Video port type * | DisplayPort | Compatible power plug types | AU, EU, UK, US |
| Console ports * | 3.5mm headphone, 3.5mm mic, DisplayPort, USB A | Sustainability | |
| Console USB ports quantity | 4 | Compliance certificates | RoHS |
| USB connector type | USB Type-A | Operational conditions | |
| Audio connections | ✓ | Operating temperature (T-T) | 0 - 40 °C |
| Headphone outputs | 3 | Storage temperature (T-T) | 20 - 60 °C |
| Number of microphone inputs | 3 | Operating relative humidity (H-H) | 0 - 80% |
| DC-in jack | ✓ | Weight & dimensions | |
| Network | | Width | 161 mm |
| Ethernet LAN | x | Depth | 58 mm |
| Performance | | Height | 100 mm |
| HD type * | 4K Ultra HD | Weight | 734 g |
| Maximum resolution * | 3840 x 2160 pixels | Packaging data | |
| Daisy chain | × | Package width | 186 mm |
| Design | | Package depth | 249 mm |
| | Dist. | Package height | 97 mm |
| Product colour * | Black | Package weight | 1.2 kg |
| LED indicators | ✓ | Packaging content | |
| Push button | ✓ | Manual | ✓ |
| Hot keys | ✓ | Rubber feet | ✓ |
| Certification | CE, FCC, REACH, TAA | | |
| Display | | Other features | |
| Built-in display * | × | Audio support | ✓ |

| Power | | Other features | |
|--------------------------------|-------------|-----------------------------|----------|
| Input voltage Input current | 100 - 240 V | IP control | × |
| | 1.5 A | Logistics data | |
| | | Harmonized System (HS) code | 85176200 |





065030867177

0065030867177

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.