

StarTech.com DK30CH2DEPUE kannettavien tietokoneiden telakka ja porttitoistin Langallinen USB 3.2 Gen 1 (3.1 Gen 1) Type-C musta, Hopea

Tuotemerkki : StarTech.com

Tuotekoodi: DK30CH2DEPUE

Tuotteen nimi : DK30CH2DEPUE

StarTech.com DK30CH2DEPUE. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery asti: 100 W. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s, Verkkostandardit: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. Tuotteen väri: musta, Hopea, Tiedonsiirtonopeus: 5 Gbit/s, Digitaalinen enimmäistarkkuus: 5120 x 2880 pikseliä. AC-syöttöjännite: 100 - 240 V, Syöttöjännite: 2.5 A, Virtalähde: 100 W. Windows-käyttöjärjestelmätuki: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Mac-käyttöjärjestelmätuki: Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.14 Mojave,...., Muu käyttöjärjestelmätuki: ChromeOS



Ports & interfaces		Power	
Connectivity technology *	Wired	Power plug type	Type N
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Compatible power plug types	EU, UK
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Software	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64	
USB Power Delivery (USB PD)	✓	Windows operating systems supported	
USB Power Delivery up to	100 W	Mac compatibility	✓
HDMI ports quantity *	1	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.9 Mavericks, Mac OS X 13.0 Ventura
DisplayPorts quantity	2	Other operating systems supported	ChromeOS
Microphone in *	✓		
Combo headphone/mic port	✓		
Headphone outputs *	2		
Headphone connectivity	3.5 mm		
DC-in jack	✓		
Network			
Ethernet LAN *	✓		
Ethernet LAN (RJ-45) ports	1		
Ethernet LAN data rates	10,100,1000 Mbit/s		
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u		
Auto MDI/MDI-X	✓		
Full duplex	✓		
Performance			
Card reader integrated *	✗		
Data transfer rate	5 Gbit/s		
Maximum digital resolution	5120 x 2880 pixels		

Performance		Operational conditions	
Cable lock slot	✓	Operating temperature (T-T)	0 - 40 °C
Product colour *	Black, Silver	Storage temperature (T-T)	-20 - 60 °C
On/off switch	✓	Operating relative humidity (H-H)	0 - 70%
UASP support	✓	Weight & dimensions	
Rubber feet	✓	Width	82 mm
Housing material	Plastic	Depth	270 mm
Certification	CE, FCC, TAA, REACH	Height	34 mm
Power		Weight	382 g
AC input voltage	100 - 240 V	Packaging data	
Input current	2.5 A	Package width	160 mm
Power supply	100 W	Package depth	320 mm
Output voltage	20 V	Package height	80 mm
Output current	7.5 A	Package weight	1.7 kg
		Packaging content	
		Cables included	USB Type-C
		AC adapter included	✓
		Manual	✓
		Technical details	
		Compliance certificates	RoHS
		Logistics data	
		Products per master (outer) case	8 pc(s)
		Master (outer) case width	365 mm
		Master (outer) case length	370 mm
		Master (outer) case height	370 mm
		Harmonized System (HS) code	84733020
		Other features	
		Chipset	DisplayLink - DL-6950, Genesys Logic - GL3523, Genesys Logic - GL3523S, Texas Instruments - TPS65982, Parade Technologies - PS176



0065030880015



065030880015

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.