



LG 49XE4F-M Digital signage display 124.5 cm (49') IPS 4000 cd/m² Full HD Black 24/7

Brand : LG

Product code: 49XE4F-M

Product name : 49XE4F-M Digital signage display 124.5 cm (49') IPS 4000 cd/m² Full HD Black 24/7

- Brightness(Typ.) : 4,000 cd/m²
- Bezel : 38.4 mm (T/B), 26.0 mm (L/R)
- Interface : HDMI/ DP/HDBaseT/USB/ Audio/ RS232C/ RJ45
- Anti-Reflection Coating
- IP56 Design, IK10 Protective Glass

49XE4F-M, 49", IPS, 1920x1080, 16:9. HDMI, DP, HDBaseT, USB, RS-232C, RJ-45, 656.2x1153x88 mm
LG 49XE4F-M Digital signage display 124.5 cm (49') IPS 4000 cd/m² Full HD Black 24/7. Product design: Digital signage flat panel. Display diagonal: 124.5 cm (49"), Display technology: IPS, Display resolution: 1920 x 1080 pixels, Display brightness: 4000 cd/m², HD type: Full HD. Operating hours (hours/days): 24/7. Product colour: Black



Display		Performance	
LED backlighting type	Direct-LED	Operating hours (hours/days)	24/7
Display diagonal *	124.5 cm (49")	International Protection (IP) code	IP56
Display technology *	IPS	Mean time between failures (MTBF)	50000 h
Display resolution *	1920 x 1080 pixels	Power	
Display brightness *	4000 cd/m ²	Power consumption (typical) *	290 W
HD type *	Full HD	AC input voltage	100 - 240 V
Touchscreen *	✗	AC input frequency	50 - 60 Hz
Native aspect ratio	16:9	Computer system	
Response time	8 ms	Computer system *	✗
Contrast ratio (typical)	1300:1	Built-in processor *	✗
Contrast ratio (dynamic)	500000:1	Weight & dimensions	
Viewing angle, horizontal	178°	Width	656.2 mm
Viewing angle, vertical	178°	Depth	88 mm
Ports & interfaces		Height	1153 mm
HDMI ports quantity *	2	Weight	32 kg
HDMI input ports quantity	2	Packaging data	
DVI port *	✗	Package width	1286 mm
DisplayPorts quantity *	1	Package depth	207 mm
DisplayPorts in	1	Package height	797 mm
USB port *	✓	Package weight	37 kg
USB ports quantity	2	Packaging content	
Ethernet LAN *	✓	Remote control included	✓
Wi-Fi *	✗	Cables included	AC, HDMI
RS-232C	✓	Operational conditions	
Audio		Operating temperature (T-T)	-30 - 50 °C
Built-in speaker(s) *	✗	Operating relative humidity (H-H)	5 - 100%
Design		Certificates	
Product design *	Digital signage flat panel	Certification	IEC 60950-1 / EN 60950-1 / UL 60950-1 FCC "A" / CE / KCC ErP
Placement supported *	Indoor	Logistics data	
Orientation	Horizontal/Vertical	Harmonized System (HS) code	85285210
Product colour *	Black		
Bezel width (bottom)	3.84 cm		
Bezel width (side)	2.6 cm		

Design		Other features	
Bezel width (top)	3.84 cm	HDBaseT port	✓
Performance		Manual	✓
Purpose *	Universal		



8806098653775



0719192638631



719192638631

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.