

KYOCERA ECOSYS P3260dn 1200 x 1200 DPI A4

Tuotemerkki : KYOCERA

Tuotekoodi: 1102WD3NLO

Tuotteen nimi : ECOSYS P3260dn

KYOCERA ECOSYS P3260dn. Tulostustekniikka: Laser. Värikasettien määrä: 1, Suurin toimintajakso: 300000 sivua kuukaudessa. Suurin resoluutio: 1200 x 1200 DPI. Suurin ISO A-luokan paperikoko: A4. Tulostusnopeus (musta, normaalilaatu, A4/US Letter): 60 ppm, Kaksipuolinen tulostus. Näyttö: LCD. Verkkovalmius. Tuotteen väri: musta, Valkoinen



Printing		Performance	
Duplex printing mode	Auto	Maximum internal memory	2500 MB
Print resolution black	1200 x 1200 DPI	Memory slots	2
Print speed (black, draft quality, A4/US Letter)	60 ppm	Memory type	DDR3
Colour *	✗	Card reader integrated	✓
Print technology *	Laser	Compatible memory cards	SD, SDHC
Duplex printing *	✓	Built-in processor	✓
Maximum resolution *	1200 x 1200 DPI	Processor family	ARM Cortex
Print speed (black, normal quality, A4/US Letter) *	60 ppm	Processor model	A9
Duplex print speed (black, normal quality, A4/US Letter)	43 ppm	Processor frequency	1200 MHz
Warm-up time	25 s	Processor cores	2
Time to first page (black, normal)	4.5 s	Sound pressure level (printing)	56 dB
Print margins (top, bottom, right, left)	4 mm	Sound pressure level (quiet mode)	50.4 dB
Features		Design	
Maximum duty cycle *	300000 pages per month	Market positioning *	Business
Recommended duty cycle	15000 - 25000 pages per month	Product colour *	Black, White
Printing colours *	Black	Built-in display *	✓
Number of print cartridges *	1	Display	LCD
Page description languages *	Epson LQ, PCL 5e, PCL 6, PCL XL, PDF 1.7, PostScript 3, TIFF, XPS	Colour display	✗
Number of printer fonts	93	Touchscreen	✗
Average cartridge yield (black)	40000 pages	Display number of lines	5 lines
		Control type	Buttons
		Certification	TUV-GS, CE

Features		Certificates	
Replacement cartridges	TK-3160 (toner, 12.500 afgedrukt 5% dekking) TK-3170 (toner, 15.500 afgedrukt 5% dekking) TK-3190 (toner, 25.000 afgedrukt 5% dekking) TK-3200 (toner, 40.000 afgedrukt 5% dekking)	Waste Electrical and Electronic Equipment (WEEE) compliance	✓
Input & output capacity		Power	
Total number of input trays *	1	Power consumption (printing) *	721 W
Total input capacity *	500 sheets	Power consumption (max)	1242 W
Total output capacity *	500 sheets	Power consumption (ready)	11 W
Paper tray 1 input capacity	500 sheets	Power consumption (PowerSave)	0.7 W
Paper input type	Paper tray	Power consumption (off)	0.07 W
Multi-Purpose tray	✓	Energy Star Typical Electricity Consumption (TEC)	2.99 kWh/week
Multi-Purpose tray input capacity	100 sheets	AC input voltage	220 - 240 V
Maximum number of input trays	5	AC input frequency	50 Hz
Maximum input capacity	2600 sheets	System requirements	
Maximum output capacity	500 sheets	Windows operating systems supported	✓
Paper handling		Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.9 Mavericks
Maximum ISO A-series paper size *	A4	Linux operating systems supported	✓
Maximum print size	216 x 356 mm	Operational conditions	
Paper tray media types *	Plain paper	Operating temperature (T-T)	10 - 32.5 °C
Multi-purpose tray media types	Banner	Storage temperature (T-T)	-20 - 40 °C
ISO A-series sizes (A0...A9) *	A4, A5, A6	Operating relative humidity (H-H)	15 - 80%
ISO B-series sizes (B0...B9)	B5	Storage relative humidity (H-H)	10 - 90%
Non-ISO print media sizes	Legal, Letter	Operating altitude	0 - 3500 m
Custom media width	105 - 216 mm	Non-operating altitude	0.6 - 15000 m
Custom media length	148 - 356 mm	Sustainability	
Paper tray media weight	60 - 120 g/m ²	Sustainability certificates	Blue Angel, EPEAT Silver, ENERGY STAR
Multi-Purpose Tray media weight	60 - 220 g/m ²	Weight & dimensions	
Duplex media weight	60 - 120 g/m ²	Width	410 mm
Maximum media length	91.5 cm	Depth	416 mm
Ports & interfaces		Height	363 mm
Direct printing *	✓	Weight	15.9 kg
USB port *	✓	Packaging data	
Number of expansion slots	1	Package width	549 mm
Optional connectivity	Ethernet, Parallel, Wireless LAN	Package depth	517 mm
Network		Package height	455 mm
Network ready	✓	Package weight	20 kg
Wi-Fi *	✗	Packaging content	
Ethernet LAN *	✓	Cartridge(s) included	✓
Cabling technology	10/100/1000Base-T(X)	Included cartridge capacity (black)	11000 pages
Ethernet LAN data rates	10,100,1000 Mbit/s	Drivers included	✓
Security algorithms	HTTPS, IPPS, IPSEC, IPSec, SNMPv3	Quick start guide	✓
Management protocols	IPsec, HTTPS, IPPS, POP over SSL, SMTP over SSL	Cables included	AC
Mobile printing technologies	Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service	Logistics data	
Performance		Harmonized System (HS) code	84433210
Internal memory *	512 MB	Technical details	
		Compliance certificates	CE, REACH, RoHS



0632983059043



632983059043

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.