

ZYXEL

Zyxel WAX650S 3550 Mbit/s Valkoinen Power over Ethernet -tuki

Tuotemerkki : Zyxel

Tuotekoodi : WAX650S-EU0101F

Tuotteen nimi : WAX650S

Zyxel WAX650S. 2,4 GHz, 5 GHz, Tiedonsiirron enimmäisnopeus: 3550 Mbit/s. Tietoturva-algoritmit: SNMP, WEP, WPA-Enterprise, WPA-PSK, WPA2, WPA3. Ethernet LAN -datanopeudet: 1000,2500,5000 Mbit/s. Power over Ethernet -tuki. Tuotteen väri: Valkoinen



Ominaisuudet		Suunnittelu	
2,4 GHz *	✓	Tuotteen väri *	Valkoinen
5 GHz *	✓	Antenni	
Tiedonsiirron enimmäisnopeus *	3550 Mbit/s	Antennityyppi *	Sisäinen
Datan enimmäissiirtonopeus (2,4 GHz)	1150 Mbit/s	Antennin vahvistustaso (maks.)	5,8 dBi
Datan enimmäissiirtonopeus (5 GHz)	2400 Mbit/s	Sertifikaatit	
Ethernet LAN -datanopeudet	1000,2500,5000 Mbit/s	Sertifiointi	FCC 15C, FCC 15E, ETSI EN 300 328, EN 301 893, LP0002 FCC 15B, EN 301 489-1, EN 301 489-17, EN55022, EN55024, EN61000-3-2/-3, EN60601-1-2, BSMI CNS13438 EN 60950-1, IEC 60950-1, BSMI CNS14336-1
Verkkostandardit	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3bt	Paino ja mitat	
MIMO	✓	Tuotteen leveys	230 mm
MIMO-tyyppi	Multi User MIMO	Tuotteen syvyys	235 mm
Wi-Fi-multimedia (WMM)/(WME)	✓	Tuotteen korkeus	53,5 mm
Nopea roaming	✓	Paino	1,16 kg
VLAN-tuki	✓	Pakkaustiedot	
Wireless isolation	✓	Pakkauksen leveys	282 mm
Band Steering	✓	Pakkauksen syvyys	266 mm
Lähetysteho	26 dBmW	Pakkauksen korkeus	79 mm
Vastaanottimen herkkyys	-105 dBm	Pakkauksen paino	1,49 kg
Suojaus		Pakkauksen sisältö	
Tietoturva-algoritmit *	SNMP, WEP, WPA-Enterprise, WPA-PSK, WPA2, WPA3	Lukumäärä per pakkaus	1 kpl
MAC-osoitteensuodatus	✓	Asennussarja	✓
Automaattinen langaton jakelujärjestelmä (WDS)	✓	Ympäristöolosuhteet	
Hallintaominaisuudet		Käytön suhteellinen kosteus (H-H)	10 - 95%
Verkkosivupohjainen hallinta	✓	Käyttölämpötila (T-T)	0 - 50 °C
Päivitettävä Firmware	✓	Varastointilämpötila	-30 - 70 °C
Liitettävyyys		Säilytysympäristön kosteus	10 - 90%
Ethernet LAN (RJ-45) -portit *	2		
DC-tulojakkii	✓		

Virranhallinta

Power over Ethernet -tuki * ✓
AC-syöttöjännite 12 V

Logistiikatiedot

Harmonoidun järjestelmän
nimikkeistökoodi (HS) 85176990



4718937609178

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-NOV-2024. Prints or copies of Information are only valid on the printed Publication date