

## BenQ EW800ST data projector Standard throw projector 3300 ANSI lumens DLP WXGA (1280x800) White

Brand : BenQ Product code: 9H.JLX77.14E

**Product name:** EW800ST

- Convenience made easier through wireless capabilities, built-in business apps, and over-the-air firmware updates
- Wireless display & mirroring capabilities across various platforms (Mac/iOS, Android, or PC) for simple and easy presentations
- Smart projector with built-in Firefox browser and business apps to easily show your ideas during huddle sessions

EW800ST, DLP, 1280x800, 16:10, 3300 lum, 200 W, RMS 2 W, Wi-Fi, Bluetooth 4.0, VGA, HDMI, LAN, USB, RS-232, 296x120x250 mm





Screen size compatibility* 1778 - 3048 mm (70 - 120*) Projector brightness * 3300 ANSI lumens Projection technology * DLP Projector native resolution * WXGA (1280x800) Contrast ratio (typical) * 20000:1 Antive aspect ratio * 16:10 Number of colours Horizontal scan range 15 - 102 kHz Vertical scan range 23 - 120 Hz Keystone correction, vertical Matrix size 1.65 cm (0.65*) Matrix type  Light source Lamp power Lamp power Lamp power Lamp squantity 1 lamp(s)  Lems system Focus * Manual Fixed focal length Aperture range (F-F)  Agenture range (F-F)  Agenture range (Table WXGA (1280x800))  Card reader integrated * X  Arabic, Bulgarian, Simplified Chinese, Croatian, Czech, Danish, Germe Dutch, English, Spanish, Farsi, Finch, Ergek, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Polish, Portuguese, Storean, Norwegian, Polish, Portuguese, Korean, Norwegian, Polish, Portuguese, Romanian, Polish, Portuguese, Korean, Norwegian, Polish, Portugue	Projector		Storage	
Projection technology* DLP  Projector native resolution * WXGA (1280x800) Contrast ratio (typical) * 20000:1 Native aspect ratio * 16:10 Native aspect ratio * 16:10 Number of colours Horizontal scan range Horizontal scan range 15 - 102 kHz Vertical scan range 23 - 120 Hz  Natrix size 1.65 cm (0.65") Matrix type  Light source Light source Light source Light source Light source Lamp power Lamp power Lamp power Lamp squantity Lamp squantity Lamp squantity Light source Lamp Manual  Procus * Manual  Projector native resolution * WXGA (1280x800) On Screen Display (OSD) Arabic, Buglarian, Simplified Chinese, Croatian, Czech, Danish, Germa Dutch, English, Spanish, Farsi, Finish, French, Greek, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Russian, Swedish, Thai, Turkish Vietnamese  Number of OSD languages 30 Noise level * 33 dB  Service Display (OSD) languages 30 Noise level * 33 dB  Android TV Operating system installed Android TV Operating system version 6.0  Multimedia  Lamp squantity Lamp squa	Screen size compatibility *	een size compatibility * 1778 - 3048 mm (70 - 120") jector brightness * 3300 ANSI lumens	Card reader integrated *	×
Projector native resolution * WXGA (1280x800) Contrast ratio (typical) * 20000:1 Native aspect ratio * 16:10 Native aspect ratio * 16:10 Number of colours Horizontal scan range Vertical scan range Vertical scan range Vertical scan range 15 - 102 kHz Vertical scan range 23 - 120 Hz Native size Matrix size 1.65 cm (0.65") Matrix type  Light source Light source Light source Eigh of light source (economic mode) Lamp power Lamp power Lamp squantity  Lamp squantity  Lamp (30 W Lamp system Lamp (59 M) Lamp (69 M	,		Features	
Light source type * Lamp  Service life of light source * 5000 h  Service life of light source (economic mode)  Lamp power  Lamp power  Lamp squantity  Lamp squantity  Lamp system version  200 W  Lamp squantity  Lamp squantity  Lens system  Manual  Focus * Manual  Focus * Manual  Aperture range (F-F)  Noise level * 33 dB  Android TV  Operating system version  6.0  Multimedia  Built-in speaker(s) *  RMS rated power  Number of built-in speakers  1  Pesign  Market positioning * Presentation  Product type *  Standard throw projector	Projector native resolution * Contrast ratio (typical) * Native aspect ratio * Number of colours Horizontal scan range Vertical scan range Keystone correction, vertical Matrix size	WXGA (1280x800) 20000:1 16:10 1.073 billion colours 15 - 102 kHz 23 - 120 Hz -30 - 30° 1.65 cm (0.65")	On Screen Display (OSD)	Arabic, Bulgarian, Simplified Chinese, Traditional Chinese, Croatian, Czech, Danish, German, Dutch, English, Spanish, Farsi, Finnish, French, Greek, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish,
Service life of light source * 5000 h  Service life of light source (economic mode)  Lamp power  Lamp power  Lamps quantity  Lamps quantity  Lamp system  1 lamp(s)  Lamp system version  Multimedia  Built-in speaker(s) *  RMS rated power  Number of built-in speakers  1  Focus *  Manual  Pesign  Market positioning *  Presentation  Product type *  Standard throw projector	Light source		Number of OSD languages	30
Lamp power 200 W Lamps quantity 1 lamp(s)  RMS rated power 2 W Lens system  Focus * Manual  Fixed focal length Aperture range (F-F)  Aperture range (F-F)  Multimedia  Built-in speaker(s) *   Number of built-in speakers 1  Pesign  Market positioning * Presentation  Product type * Standard throw projectors	Service life of light source *	5000 h	Operating system installed	Android TV
Lamps quantity  1 lamp(s)  RMS rated power 2 W  Number of built-in speakers 1  Focus * Manual  Fixed focal length Aperture range (F-F) 2.6 - 2.6  Built-in speaker(s) *  RMS rated power 2 W  Number of built-in speakers 1  Design  Market positioning *  Presentation  Product type *  Standard throw projector	· · · · · · · · · · · · · · · · · · ·		Multimedia	
Lens systemNumber of built-in speakers1Focus *ManualDesignFixed focal length6.9 mmMarket positioning *PresentationAperture range (F-F)2.6 - 2.6Product type *Standard throw projector	• •		•	
Fixed focal length 6.9 mm  Aperture range (F-F) 2.6 - 2.6  Product type * Standard throw projector	Lens system		•	
Zoom type Fixed Product colour * White  Throw ratio 0.49 Placement Desktop  Offset 105% Cable lock slot	Fixed focal length Aperture range (F-F) Zoom type Throw ratio	6.9 mm 2.6 - 2.6 Fixed 0.49	Market positioning * Product type * Product colour * Placement	Standard throw projector White Desktop
Video Cable lock slot type Kensington	Video			
Analog signal format system * NTSC, PAL, SECAM Display Supported graphics resolutions 640 x 480 (VGA), 1920 x 1080 (HD 1080) Built-in display *	,	640 x 480 (VGA), 1920 x 1080 (HD 1080)	Built-in display *	×
Supported video modes 480i, 480p, 576i, 576p, 720p, 1080i, Power 1080p Power source * AC	Supported video modes			۸۲

Ports & interfaces		Power	
HDMI connector type USB 2.0 ports quantity * Mini-USB 2.0 ports quantity Serial interface type * PC Audio in PC Audio out	Full-size 2 1 RS-232	Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (economy mode) AC input voltage AC input frequency	280 W 0.5 W 320 W 235 W 100 - 240 V 50 - 60 Hz
VGA (D-Sub) ports quantity * HDMI ports quantity *	2 1	Operational conditions	50 00
DVI port * AC (power) in	×	Operating temperature (T-T) Storage temperature (T-T)	0 - 40 °C -20 - 60 °C
Network		Operating relative humidity (H-H)	10 - 90%
Smart TV * Ethernet LAN *	×	Storage relative humidity (H-H) Operating altitude	10 - 90% 0 - 1499 m
Ethernet LAN (RJ-45) ports	1	Weight & dimensions	
Wi-Fi * Wi-Fi standards Bluetooth	<b>√</b> 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Width Depth Height	296 mm 250 mm 120 mm
Bluetooth version	4.0	Weight *	2.6 kg
		Packaging content	
		Remote control included * Batteries included Cables included	✓ ✓ VGA
		Logistics data	
		Quantity per pack Harmonized System (HS) code	1 pc(s) 85286200



4718755079924

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.