



## APC Easy Rack PDU, Metered, 0U, 1 Phase, 7.4kW, 230V, 32A, 20 x C13 and 4 x C19 outlets, IEC60309 2P+E inlet

Brand : APC

Product code: EPDU1132M


**Product name :** Easy Rack PDU, Metered, 0U, 1 Phase, 7.4kW, 230V, 32A, 20 x C13 and 4 x C19 outlets, IEC60309 2P+E inlet

Easy Rack PDU, Metered, 0U, 1 Phase, 7.4kW, 230V, 32A, 20 x C13 and 4 x C19 outlets, IEC60309 2P+E inlet

APC Easy Rack PDU, Metered, 0U, 1 Phase, 7.4kW, 230V, 32A, 20 x C13 and 4 x C19 outlets, IEC60309 2P+E inlet. PDU types: Metered, Rack capacity: 0U, Type: Single-phase. AC outlets quantity: 24 AC outlet(s), AC outlet types: C13 coupler, C19 coupler, Power plug: IEC 60309. Certification: CE, TUV. Nominal input voltage: 200/208/230 V, Maximum current: 32 A, AC input frequency: 50 - 60 Hz. Width: 62 mm, Depth: 44 mm, Height: 1175 mm



| Design                  |                          | Power                             |             |
|-------------------------|--------------------------|-----------------------------------|-------------|
| PDU types *             | Metered                  | Maximum input current per phase   | 32 A        |
| Type                    | Single-phase             | Maximum power                     | 7360 W      |
| Rack capacity *         | 0U                       | Weight & dimensions               |             |
| Mounting                | Vertical                 | Width                             | 62 mm       |
| Housing material        | Aluminium                | Depth                             | 44 mm       |
| Product colour          | Black                    | Height                            | 1175 mm     |
| Display                 | LCD                      | Weight                            | 3.72 kg     |
| On/off switch           | ✗                        | Packaging data                    |             |
| Ports & interfaces      |                          | Package weight                    | 4.48 kg     |
| AC outlets quantity *   | 24 AC outlet(s)          | Package width                     | 160 mm      |
| Power plug              | IEC 60309                | Package depth                     | 110 mm      |
| AC outlet types *       | C13 coupler, C19 coupler | Package height                    | 1320 mm     |
| Features                |                          | Packaging content                 |             |
| LED indicators          | ✓                        | Manual                            | ✓           |
| Certification           | CE, TUV                  | Operational conditions            |             |
| Management features     |                          | Operating temperature (T-T)       | -5 - 45 °C  |
| Firmware upgradeable    | ✓                        | Storage temperature (T-T)         | -25 - 65 °C |
| Power                   |                          | Operating relative humidity (H-H) | 5 - 95%     |
| Nominal input voltage * | 200/208/230 V            | Storage relative humidity (H-H)   | 5 - 95%     |
| AC input frequency      | 50 - 60 Hz               | Operating altitude                | 0 - 3000 m  |
| Maximum current *       | 32 A                     | Non-operating altitude            | 0 - 15000 m |
| Nominal output voltage  | 230 V                    |                                   |             |
| Load capacity           | 7360 VA                  |                                   |             |



0731304405092



731304405092

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.