## D-Link

## D-Link DWR-933 langaton reititin Kaksitaajuus (2,4 GHz/5 GHz) 4G musta

Tuotemerkki : D-Link Tuotekoodi: DWR-933

Tuotteen nimi: DWR-933

D-Link DWR-933. Wi-Fi-taajuus: Kaksitaajuus (2,4 GHz/5 GHz), Wi-Fi-standardi: Wi-Fi 5 (802.11ac), Wi-Fi-standardit: 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac). Verkkostandardit: IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Mobiiliverkon sukupolvi: 4G, 3G-standardit: DC-HSDPA, HSPA, HSPA+, WCDMA, 4G-standardit: LTE. Yhteensopivat muistikortit: MicroSD (TransFlash), Suurin muistikortin koko: 64 GB. Tietoturva-algoritmit: 64-bit WEP, 128-bit WEP, WPA, WPA2, WPS





WAN connection		Security	
Ethernet WAN *	×	Network address translation (NAT)	✓
DSL WAN *	×	Protocols	
SIM card slot *	✓	Universal Plug and Play (UPnP)	<b>✓</b>
3G/4G USB modem compatibility *	X	Design	
Wireless LAN features		Product colour	Black
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Product type *	Portable router
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac) 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Certificates	
Wi-Fi standards		Certification	BSMI, RoHS
Network		Antenna	
Ethernet LAN *	x	Antenna design *	Internal
Ethernet LAN interface type *	Not available	Power	
Networking standards	IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Power source type * Output voltage	Battery 5 V
Mobile network		Output current	1 A
Mobile network generation	4G	Battery technology	Lithium-lon (Li-lon)
3G	✓	Battery capacity	2800 mAh
4G	✓	Battery life (max)	16 h
3G standards	DC-HSDPA, HSPA, HSPA+, WCDMA	Operational conditions	
4G standard	LTE	Operating temperature (T-T)	0 - 40 °C
Ports & interfaces		Storage temperature (T-T)	-20 - 70 °C 10 - 90%
USB port *	<b>/</b>	Operating relative humidity (H-H)	10 - 90%
Memory card slot(s)	<b>/</b>	Weight & dimensions	
Compatible memory cards	MicroSD (TransFlash)	Width	105 mm 64 mm
Maximum memory card size	64 GB	Depth Height	14 mm
Management features		Weight	140 g
WPS push button	•	Packaging data	
		Number of products included	1 pc(s)
		•	• • •

SecuritySecurity algorithms64-bit WEP, 128-bit WEP, WPA, WPA, WPSHarmonized System (HS) code WPA2, WPS85176990Firewall✓DMZ support✓









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.