

Epson TM-T88VI-iHub (751P0): PDN, PS, Black, EU

Tuotemerkki : Epson

Tuotekoodi: C31CE94751P0

Tuotteen nimi : TM-T88VI-iHub (751P0): PDN, PS, Black, EU



- Suuri tulostusnopeus: Tulostus jopa 350 mm:n sekuntinopeudella
 - Erinomainen luotettavuus: Epsonin hyväksi todettua luotettavuutta
 - Yhteentoimivuus: Mahdollistaa PC:n, mobiililaitteen ja verkon käytön samaan aikaan
 - Palvelinsuoratulostus: Tulosta verkkopalvelimelta suoraan yhdistettyyn kuittitulostimeen
 - Jäljitteiden tuki: Antaa mobiililaitteiden tulostaa lähimpään käytettävissä olevaan tulostimeen
- TM-T88VI-iHub (751P0): PDN, PS, Black, EU

Epson TM-T88VI-iHub (751P0): PDN, PS, Black, EU. Tulostustekniikka: Suoralämpö, Malli: Maksupäätetulostin, Suurin resoluutio: 180 x 180 DPI. Suurin rullan halkaisija: 8,3 cm, Tuetut paperin leveydet: 80 mm, Tulostuksen enimmäisleveys: 8 cm. Yhteysteknologia: Langallinen & langaton, Sarjaliitännän tyyppi: RS-232, Vakioliitännät: Ethernet, NFC, RS-232, USB 2.0. Flash-muisti: 512 MB, Keskimääräinen vikaantumisaika: 350000 h, Automaattisen leikkaajan kestävyys: 3 miljoonaa leikkausta. Tuotteen väri: musta

Printing		Power	
Maximum resolution	180 x 180 DPI	Power supply type	AC
Print speed	350 mm/sec	Operational conditions	
Printing characters	Text, Graphic, Barcode	Operating temperature (T-T)	5 - 45 °C
Character sets	ANK	Operating relative humidity (H-H)	10 - 90%
Print technology *	Direct thermal	System requirements	
Type *	POS printer	Pre-installed software	Device Data Notification, Print Data Notification, Server Direct Print, Webserver, ePOS-Device, ePOS-Display, ePOS-Print
Paper handling		Weight & dimensions	
Maximum roll diameter	8.3 cm	Width	145 mm
Supported paper width	80 mm	Depth	195 mm
Maximum printing width	8 cm	Height	148 mm
Media thickness	0.05 - 0.08 mm	Weight	1.6 kg
Ports & interfaces		Packaging data	
USB port *	✓	Quantity per pack	1 pc(s)
Serial interface *	✓	Package width	195 mm
Serial interface type	RS-232	Package depth	241 mm
Connectivity technology *	Wired & Wireless	Package height	235 mm
Near Field Communication (NFC)	✓	Package weight	2.62 kg
Standard interfaces	Ethernet, NFC, RS-232, USB 2.0	Packaging content	
Network		AC adapter included	✓
Ethernet LAN *	✓	Print technology	
Features		Column capacity	58/80
Flash memory	512 MB	Logistics data	
Mean time between failures (MTBF)	350000 h	Pallet weight (UK)	0 g
Cutter	✓	Harmonized System (HS) code	84433210
Half-cutter	✓	Products per master (outer) case	4 pc(s)
Autocutter durability	3 million cuts	Master (outer) case width	400 mm
Built-in processor	✓	Master (outer) case length	490 mm
Processor family	Cortex-A5	Master (outer) case height	255 mm
Processor frequency	0.384 GHz		
Print head life	200 km		
Country of origin	China		

Features		Logistics data	
Mounting position	Horizontal/Vertical	Master (outer) case gross weight	0 g
Wall mountable	✓	Products per pallet	128 pc(s)
Built-in sensors details	Paper Near End Sensor, Cover Open Sensor, Papier-Sensor	Pallet gross weight	0 g
Certification	CE, EN55024, EN55032 Class A, IEC61000-4-2, IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-11	Products per pallet (UK)	192 pc(s)
Design		Technical details	
Product colour *	Black	Lifetime	20000000 lines
Power		Master (outer) case GTIN (EAN/UPC)	8715946696539
Power source type *	AC	Other features	
AC input voltage	24 V	Electromagnetic compatibility	CE marking, EN55024, EN55032 Class A, IEC61000-4-2, IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-11
		Mean cycles between failures (MCBF)	70000000
		Print head life	200.000.000 Impulse



8715946649498

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date