

Lexmark MS431dn 600 x 600 DPI A4

Tuotemerkki : Lexmark

Tuotekoodi: 29S0061

Tuotteen nimi : MS431dn



Lexmark MS431dn. Tulostustekniikka: Laser. Suurin toimintajakso: 80000 sivua kuukaudessa. Suurin resoluutio: 600 x 600 DPI. Suurin ISO A-luokan paperikoko: A4. Tulostusnopeus (musta, normaalilaatu, A4/US Letter): 40 ppm, Kaksipuolinen tulostus. Näyttö: LCD. Verkkovalmius. Tuotteen väri: musta, Valkoinen

Printing		Performance	
Duplex printing mode	Auto	Internal memory *	256 MB
Print resolution black	600 x 600 DPI	Maximum internal memory	256 MB
Colour *	✗	Built-in processor	✓
Print technology *	Laser	Sound pressure level (printing)	53 dB
Duplex printing *	✓	Sound pressure level (duplex printing)	50 dB
Maximum resolution *	600 x 600 DPI	Sound power level (standby)	14 dB
Print speed (black, normal quality, A4/US Letter) *	40 ppm	Design	
Duplex print speed (black, normal quality, A4/US Letter)	18 ppm	Market positioning *	Business
Time to first page (black, normal)	5.9 s	Product colour *	Black, White
Features		Built-in display *	✓
Maximum duty cycle *	80000 pages per month	Display	LCD
Recommended duty cycle	800 - 8000 pages per month	ICES-003 B, BSMI B, US FDA, UL 60950-1, FCC B, cUL CAN/CSA-C22.2 60950-1, NOM, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62301 B, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 B, EuP, EN 55024, UL), EFTA (CE), KCC, CCC, CECP, CEL, C-tick DoC, UL-AR, KC, UL GS, EC 1275, MET-I, ISO 532B, ECMA-370, TED, GOST-R, SII, TER, DE-UZ 205	
Printing colours *	Black		
Page description languages *	PCL 5, PCL 6, PCLm, PostScript 3		
Country of origin	China		
Input & output capacity		Certification	
Total number of input trays *	2	Power	
Total input capacity *	350 sheets	Power consumption (printing) *	570 W
Total output capacity *	150 sheets	Power consumption (ready)	4.9 W
Multi-Purpose tray	✓	Power consumption (standby)	0.9 W
Multi-Purpose tray input capacity	100 sheets	Energy Star Typical Electricity Consumption (TEC)	0.47 kWh/week
Maximum number of input trays	3	System requirements	
Maximum input capacity	900 sheets	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
Maximum output capacity	150 sheets	Linux operating systems supported	✓
Paper handling		Server operating systems supported	Windows Server 2016
Maximum ISO A-series paper size *	A4	Operational conditions	
Paper tray media types *	Card stock, Labels, Plain paper	Operating temperature (T-T)	10 - 32 °C
ISO A-series sizes (A0...A9) *	A4, A5, A6	Operating relative humidity (H-H)	8 - 80%
Non-ISO print media sizes	Executive, Folio, Legal, Letter, Oficio, Statement, Universal	Operating altitude	0 - 2896 m
Paper tray media weight	60 - 120 g/m ²	Sustainability	
Ports & interfaces		Sustainability certificates	ENERGY STAR
USB port *	✓		
USB 2.0 ports quantity	1		
USB connector	USB Type-B		
Network			
Network ready	✓		
Wi-Fi *	✗		

Network		Weight & dimensions	
Ethernet LAN *	✓	Width	368 mm
Cabling technology	10/100/1000Base-T(X)	Depth	363 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Height	222 mm
Security algorithms	LEAP, MD5, MSCHAPv2, PEAP, SNMPv3, TLS, TTLS	Weight	9.3 kg
Supported network protocols (IPv4)	IPSEC, TCP/IP, ICMP, TCP, IGMP, UDP, 802.1x	Packaging data	
Supported network protocols (IPv6)	IPSEC, TCP/IP, ICMP, TCP, IGMP, UDP, 802.1x	Package width	410 mm
Management protocols	DHCP, BOOTP, RARP, mDNS, IGMP, WINS, DDNS, SNMPv3, SNMPv1, SNMPv2c, Telnet, NTP, ICMP, HTTP, DNS, ARP, HTTPs (SSL/TLS), SMTP, Finger	Package depth	420 mm
		Package height	280 mm
		Package weight	10.5 kg
		Packaging content	
		Cartridge(s) included	✓
		Included cartridge capacity (black)	3000 pages



0734646701419



734646701419

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.