

StarTech.com 3ft (1m) DisplayPort to HDMI Cable - 4K 30Hz - DisplayPort to HDMI Adapter Cable - DP 1.2 to HDMI Monitor Cable Converter - Latching DP Connector - Passive DP to HDMI Cord

Brand : StarTech.com

Product code: DP2HDMM1MB

Product name : 3ft (1m) DisplayPort to HDMI Cable - 4K 30Hz - DisplayPort to HDMI Adapter Cable - DP 1.2 to HDMI Monitor Cable Converter - Latching DP Connector - Passive DP to HDMI Cord

StarTech.com 3ft (1m) DisplayPort to HDMI Cable - 4K 30Hz - DisplayPort to HDMI Adapter Cable - DP 1.2 to HDMI Monitor Cable Converter - Latching DP Connector - Passive DP to HDMI Cord (DP2HDMM1MB)
StarTech.com 3ft (1m) DisplayPort to HDMI Cable - 4K 30Hz - DisplayPort to HDMI Adapter Cable - DP 1.2 to HDMI Monitor Cable Converter - Latching DP Connector - Passive DP to HDMI Cord. Cable length: 1 m, Connector 1: DisplayPort, Connector 2: HDMI Type A (Standard). Compliance certificates: CE, RoHS, Certification: RoHS, CE, FCC. Weight: 49.6 g, Width: 21 mm, Depth: 1010 mm. Package width: 220 mm, Package depth: 200 mm, Package height: 15 mm. Quantity per pack: 1 pc(s)



Features		Operational conditions	
Connector 1 form factor	Straight	Operating relative humidity (H-H)	10 - 85%
Connector 2 form factor	Straight	Certificates	
Cable length *	1 m	Compliance certificates	CE, RoHS
Connector 1 *	DisplayPort	Certification	RoHS, CE, FCC
Connector 2 *	HDMI Type A (Standard)	Weight & dimensions	
Connector 1 gender *	Male	Weight	49.6 g
Connector 2 gender *	Male	Width	21 mm
HDMI version	1.4	Depth	1010 mm
HDCP	✓	Height	12 mm
HDCP version	1.4	Packaging data	
DisplayPort version	1.2	Package width	220 mm
DisplayPort Content Protection (DPCP)	✓	Package depth	200 mm
Maximum resolution	3840 x 2160 pixels	Package height	15 mm
Supported graphics resolutions	1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)	Package weight	60 g
Supported video modes	1080p, 720p	Packaging content	
Maximum refresh rate	30 Hz	Quantity per pack	1 pc(s)
Product colour	Black	Logistics data	
Supported audio channels	7.1	Harmonized System (HS) code	84733080
Plug and Play	✓	Master (outer) case width	420 mm
Converter type	Passive video converter	Master (outer) case length	415 mm
Operational conditions		Master (outer) case height	435 mm
Operating temperature (T-T)	0 - 70 °C	Products per master (outer) case	250 pc(s)
Storage temperature (T-T)	-10 - 70 °C	Other features	
		Supported resolutions	4000 x 2000 1920 x 1200 1920 x 1080 1280 x 720



0065030861199



065030861199



5054629725825

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-APR-2025. Prints or copies of Information are only valid on the printed Publication date