

ASUS ROG MAXIMUS XII EXTREME Intel Z490 LGA 1200 (Socket H5) Laajennettu ATX

Tuotemerkki : ASUS

Tuotekoodi: 90MB12J0-M0EAY0

Tuotteen nimi : ROG MAXIMUS XII EXTREME



ASUS ROG MAXIMUS XII EXTREME. Suoritinvalmistaja: Intel, Prosessorin kanta: LGA 1200 (Socket H5), Yhteensopivat prosessorit: Intel® Celeron®, Intel® Pentium G. Tuetut muistityypit: DDR4-SDRAM, Sisäinen enimmäismuisti: 128 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: M.2, SATA. Ethernet-liitännän tyyppi: 2.5 Gigabit Ethernet, LAN-kontrolleri: Aquantia AQC107, Wi-Fi-standardit: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Komponentti (tuotteelle): PC, Emolevyn muototekijä: Laajennettu ATX, Emolevyn piirisarjan perhe: Intel

Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	Ethernet LAN (RJ-45) ports *	1
Processor socket *	LGA 1200 (Socket H5)	Headphone outputs	5
Compatible processor series *	Intel® Celeron®, Intel Pentium G	S/PDIF out port	✓
Memory		Network	
Supported memory types *	DDR4-SDRAM	Ethernet LAN	✓
Number of memory slots *	4	Ethernet interface type	2.5 Gigabit Ethernet
Memory slots type	DIMM	LAN controller	Aquantia AQC107
Memory channels	Dual-channel	Wi-Fi *	✓
Supported memory clock speeds	2133,2400,2666,2800,2933,3000,3200,3333,3400,3466,3600,3733,3866,4000,4133,4266,4400,4500,4600,4700,4800 MHz	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Maximum internal memory *	128 GB	Features	
Storage controllers		Motherboard chipset *	Intel Z490
Supported storage drive interfaces * M.2, SATA		Audio output channels *	7.1 channels
Internal I/O		Component for *	PC
USB 2.0 connectors *	4	Motherboard form factor *	Extended ATX
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	4	Motherboard chipset family *	Intel
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	2	Expansion slots	
Number of SATA connectors	8	PCI Express x1 (Gen 3.x) slots	2
Thunderbolt headers	1	PCI Express x16 (Gen 3.x) slots	2
Rear panel I/O ports		BIOS	
USB 2.0 ports quantity *	2	BIOS type *	UEFI AMI
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	6	BIOS memory size	512 Mbit
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Clear CMOS button	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	2	Logistics data	
Weight & dimensions		Harmonized System (HS) code	84733020
Width	305 mm		

Weight & dimensions

Depth 277 mm

Packaging content

Cables included USB



4718017663939

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.