KYOCERA ECOSYS P4060dn 1200 x 1200 DPI A3+

Tuotemerkki : KYOCERA

Tuotekoodi: 1102RS3NL0

Tuotteen nimi : ECOSYS P4060dn

KYOCERA ECOSYS P4060dn. Tulostustekniikka: Laser. Värikasettien määrä: 1, Suurin toimintajakso: 300000 sivua kuukaudessa. Suurin resoluutio: 1200 x 1200 DPI. Suurin ISO A-luokan paperikoko: A3+. Tulostusnopeus (musta, normaalilaatu, A4/US Letter): 60 ppm, Kaksipuolinen tulostus. Näyttö: LCD. Verkkovalmius. Tuotteen väri: musta, Harmaa

Printing

Duplex printing mode	Auto
Print resolution black	1200 x 1200 DPI
Colour *	✗
Print technology *	Laser
Duplex printing *	✔
Maximum resolution *	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter) *	60 ppm
Print speed (black, normal quality, A3)	30 ppm
Duplex print speed (black, normal quality, A4/US Letter)	60 ppm
Warm-up time	17 s
Time to first page (black, normal)	3.8 s
Economical printing	✔

Features

Maximum duty cycle *	300000 pages per month
Recommended duty cycle	15000 - 30000 pages per month
Printing colours *	Black
Number of print cartridges *	1
Page description languages *	PCL 6, PDF 1.7, PostScript 3, TIFF, XPS
Printer fonts	Barcode, Bitmap, PCL, Windows
Number of PostScript fonts	136
Number of barcode fonts	45
Number of bitmap fonts	1
Number of Windows fonts	8
Number of scalable fonts	93
Replacement cartridges	TK-6330 (32.000 pagina's)

Input & output capacity

Total number of input trays *	2
Total input capacity *	1000 sheets
Total output capacity *	500 sheets
Paper tray 1 input capacity	500 sheets
Paper tray 2 input capacity	500 sheets
Multi-Purpose tray	✔
Multi-Purpose tray input capacity	150 sheets
Maximum number of input trays	5
Maximum input capacity	7150 sheets
Maximum output capacity	4300 sheets

Paper handling

Maximum ISO A-series paper size *	A3+
Maximum print size	320 x 457 mm
Paper tray media types *	Plain paper
Multi-purpose tray media types	Banner

Network

Mobile printing technologies	Apple AirPrint, Google Cloud Print, Mopria Print Service

Performance

Internal memory *	4096 MB
Maximum internal memory	4096 MB
Internal storage capacity	328 GB
Storage media	HDD
Card reader integrated	✔
Compatible memory cards	SD, SDHC
Built-in processor	✔
Processor family	NXP QorIQ
Processor model	T1024
Processor frequency	1200 MHz
Processor cores	2
Sound pressure level (printing)	55.8 dB
Noise level (ready)	32.4 dB
Sound power level (standby)	32.4 dB

Design

Market positioning *	Business
Product colour *	Black, Grey
Built-in display *	✔
Display	LCD
Colour display	✔
Display diagonal	22.9 cm (9")
Touchscreen	✔
Control type	Touch
Certification	TUV-GS, CE

Power

Power consumption (printing) *	820 W
Power consumption (ready)	40 W
Power consumption (PowerSave)	1 W
Energy Star Typical Electricity Consumption (TEC)	3.15 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50 Hz

System requirements

Windows operating systems supported	✔
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.9 Mavericks
Linux operating systems supported	✔

Paper handling

ISO A-series sizes (A0...A9) *	A3, A3+, A4, A4+, A5, A6
ISO B-series sizes (B0...B9)	B4, B5
Non-ISO print media sizes	Ledger (media size), Legal, Letter
Envelopes sizes	C5, DL, Monarch
Custom media width	98 - 148 mm
Custom media length	320 - 457 mm
Paper tray media weight	52 - 300 g/m²
Multi-Purpose Tray media weight	52 - 300 g/m²
Duplex media weight	60 - 256 g/m²

Ports & interfaces

Direct printing *	✔
USB port *	✔
USB 2.0 ports quantity	4
Optional connectivity	Ethernet, Wireless LAN

Network

Network ready	✔
Wi-Fi *	✘
Ethernet LAN *	✔
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Near Field Communication (NFC)	✘
Bluetooth	✘

Operational conditions

Operating temperature (T-T)	10 - 32.5 °C
Storage temperature (T-T)	-20 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	10 - 90%
Operating altitude	0 - 3500 m
Non-operating altitude	0.6 - 15000 m

Sustainability

Sustainability certificates	Blue Angel, ENERGY STAR

Weight & dimensions

Width	665 mm
Depth	602 mm
Height	790 mm
Weight	77 kg

Packaging data

Package width	814 mm
Package depth	752 mm
Package height	1109 mm
Package weight	100 kg

Packaging content

Cartridge(s) included	✔
Included cartridge capacity (black)	16000 pages
Cables included	AC

Logistics data

Harmonized System (HS) code	84433210

Other features

Quantity per pack	1 pc(s)

0632983061299

632983061299

0632983061282

632983061282