

Epson WorkForce DS-30000

Tuotemerkki : Epson

Tuoteperhe: WorkForce

Tuotekoodi: B11B256401

Tuotteen nimi : WorkForce DS-30000

- Säästää tilaa: Kompakti rakenne laadusta tinkimättä
- Nopea: Skannausnopeus jopa 70 sivua / 140 kuvaa minuutissa 200 dpi:n tai 300 dpi:n tarkkuudella
- Joustava skannaus: Skannaa passit ja jopa 6 mm:n paksuiset sidotut materiaalit
- Hallinta ja suojaus: Edistynyt paperin käsittely paperia suojaavien anturien ansiosta
- Suuri kapasiteetti: Suurten määrien käsittelyyn tarkoitettu 120 arkin syöttölaite (ADF)

WorkForce DS-30000

Epson WorkForce DS-30000. Skannauksen enimmäiskoko: 304,8 x 5588 mm, Optinen skannauserottelutarkkuus: 600 x 600 DPI, Tulon värisyvyys: 30 bittiä. Skannerityyppi: Arkkisyöttöskanneri, Tuotteen väri: Valkoinen, Näyttö: LCD. Anturin tyyppi: CIS, Päivittäinen käyttöjakso (maks.): 40000 sivua, Valonlähde: ReadyScan LED. Automaattisen asiakirjojen syöttölaiteen kapasiteetti: 120 arkkia. Suurin ISO A-luokan paperikoko: A3, Tuetut skannausmediatyytit: Käyntikortti, Muovikortti, Post Card(JPN), ISO A-sarjan koot (A0...A9): A3, A4, A5, A6, A7, A8



Scanning		Power	
Maximum scan size *	304.8 x 5588 mm	Power supply type *	AC
Optical scanning resolution *	600 x 600 DPI	Power consumption (typical)	17 W
Colour scanning	✓	Power consumption (standby)	9 W
Duplex scanning *	✓	Power consumption (off)	0.1 W
Input colour depth	30 bit	Sleep mode	✓
Output colour depth	24 bit	Input voltage	100 - 240 V
Input greyscale depth	10 bit	Power consumption (sleep)	1.4 W
Output greyscale depth	8 bit	Weight & dimensions	
Output monochrome depth	24 bit	Width	371 mm
ADF scan speed (b/w, A4)	70 ppm	Depth	208 mm
ADF scan speed (colour, A4)	70 ppm	Height	219 mm
Design		Weight	5.8 kg
Scanner type *	Sheet-fed scanner	Packaging data	
Product colour *	White	Quantity per pack	1 pc(s)
Display	LCD	Package width	330 mm
Display diagonal	6.86 cm (2.7")	Package depth	460 mm
Touchscreen	✓	Package height	325 mm
Colour display	✓	Package weight	7.5 kg
Built-in display *	✓	Packaging content	
Performance		Manual	✓
Sensor type *	CIS	Cables included	USB
Light source	ReadyScan LED	AC adapter included	✓

Performance		Packaging content	
Scan file formats	JPEG, PDF, TIFF	Bundled software	Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2
Daily duty cycle (max) *	40000 pages		
Image quality improvement	Dust removal, Grain reduction, Unsharp mask, Noise reduction	System requirements	
Scan to	E-mail, FTP, Software, Print, Network folder, USB, PC	Compatible operating systems	Mac OS 10.6+, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64 Bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP SP3
Scan drivers	TWAIN, WIA, ISIS, ICA		
Ultrasonic double sheet detection	✓	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Ultrasonic sensor	✓		
Scanning noise level	51 dB	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Sound pressure level (max)	51 dB		
Input capacity		Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2008 x64, Windows Server 2012 R2, Windows Server 2016
Auto document feeder (ADF) input capacity	120 sheets		
Paper handling		Operational conditions	
Scanning media types supported	Business Card, Plastic Card, Post Card(JPN)	Operating temperature (T-T)	5 - 35 °C
Maximum ISO A-series paper size *	A3	Storage temperature (T-T)	60 - 25 °C
ISO A-series sizes (A0...A9)	A3, A4, A5, A6, A7, A8	Operating relative humidity (H-H)	15 - 80%
ISO B-series sizes (B0...B9)	B4, B5, B6	Storage relative humidity (H-H)	15 - 85%
Legal	✓	Other features	
Paper tray media weight	27 - 413 g/m ²	Output resolutions	600 dpi
Auto Document Feeder (ADF) media weight	27 - 413 g/m ²	Image formats supported	BMP, JPEG, TIFF, PNG
Maximum scan area (ADF)	304.8 x 5588 mm	Logistics data	
Minimum scan area (ADF)	50.8 x 69 mm	Products per pallet	30 pc(s)
Ports & interfaces		Country of origin	Indonesia
USB port *	✓	Pallet gross weight	0 g
USB version	3.2 Gen 1 (3.1 Gen 1)	Products per pallet (UK)	42 pc(s)
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)	Pallet weight (UK)	0 g
		Harmonized System (HS) code	84716070



8715946676562

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date