



Canon imageFORMULA -G1130 Sheet-fed scanner 600 x 600 DPI A3 White

Brand : Canon

Product family:
imageFORMULA

Product code: 8073B003

Product name : -G1130

A3, CMOS CIS, 600DPI, RGB LED

Canon imageFORMULA -G1130. Maximum scan size: 305 x 3000 mm, Optical scanning resolution: 600 x 600 DPI. Scanner type: Sheet-fed scanner, Product colour: White. Sensor type: CMOS CIS, Daily duty cycle (max): 30000 pages, Light source: RGB LED. Standard input capacity: 500 sheets, Auto document feeder (ADF) input capacity: 500 sheets. Maximum ISO A-series paper size: A3



Scanning		Power	
Maximum scan size *	305 x 3000 mm	Power consumption (typical)	94.3 W
Optical scanning resolution *	600 x 600 DPI	Power consumption (standby)	1.7 W
Duplex scanning *	✓	Power consumption (off)	0.3 W
Design		AC input frequency	50 - 60 Hz
Scanner type *	Sheet-fed scanner	Input voltage	220-240 V
Product colour *	White	Weight & dimensions	
Built-in display *	✓	Width	480 mm
Performance		Depth	535 mm
Sensor type *	CMOS CIS	Height	315 mm
Light source	RGB LED	Weight	22.8 kg
Daily duty cycle (max) *	30000 pages	Sustainability	
Input capacity		Sustainability certificates	ENERGY STAR
Standard input capacity	500 sheets	System requirements	
Auto document feeder (ADF) input capacity	500 sheets	Windows operating systems supported	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Paper handling		Operational conditions	
Maximum ISO A-series paper size *	A3	Operating temperature (T-T)	10 - 32.5 °C
Ports & interfaces		Operating relative humidity (H-H)	20 - 80%
USB port *	✓	Operating temperature (T-T)	50 - 90.5 °F
USB version	2.0		
Standard interfaces	USB 2.0		
Power			
Power supply type *	AC		

Other features

Compliance certificates	RoHS
-------------------------	------

Logistics data

Harmonized System (HS) code	84716070
-----------------------------	----------



4528472105239

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date