

APC Back-UPS BE850G2-GR - Emergency power supply 8x socket, 850VA, 2 USB chargers, 1 USB data port

Brand : APC Product code: BE850G2-GR

Product name : Back-UPS BE850G2-GR - Emergency power supply 8x socket, 850VA, 2 USB chargers, 1 USB data port

APC Back-UPS 850VA, 230V, USB Type-C, USB Type-A

APC Back-UPS BE850G2-GR - Emergency power supply 8x socket, 850VA, 2 USB chargers, 1 USB data port. UPS topology: Standby (Offline), Output power capacity: 0.85 kVA, Output power: 520 W. AC outlet types: Type F, Power plug: Type F, AC outlets quantity: 8 AC outlet(s). Battery technology: Sealed Lead Acid (VRLA), Battery capacity: 93 Ah, Typical backup time at full load: 2 min. Form factor: Compact, Product colour: Black, Cable length: 1.83 m. Width: 130 mm, Depth: 365 mm, Height: 120 mm







Features		Battery	
PS topology * Standby (Offline) utput power capacity * 0.85 kVA utput power * 520 W /aveform * Sine put operation voltage (min) * 220 V	Battery life (max) Battery recharge time Hot-swap battery Automatic battery test Cold start	5 year(s) 16 h	
Input operation voltage (max) * Input frequency * Output operation voltage (min) Output operation voltage (max) Output frequency Automatic Voltage Regulation (AVR) Maximum current	230 V 47/63 Hz 220 V 230 V 47/63 Hz	Design Form factor * Cable length Product colour * LED indicators Certification	Compact 1.83 m Black ✓ REACH, CE, EAC
Surge energy rating Noise level Surge protection Surge protection features Audible alarm(s) Audible alarm modes	310 J 45 dB ✓ Digital Subscriber Line (DSL), Fax, Modem, Network, Telephone ✓ Alarm when on battery, Low battery	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C -15 - 45 °C 0 - 90% 0 - 95% 0 - 900 m 0 - 4500 m
Ports & interfaces	alarm, Overload alarm	Technical details	
AC outlet types Power plug AC outlets quantity Number of type F outputs USB port	Type F Type F 8 AC outlet(s) 8	Sustainability certificates Compliance certificates Weight & dimensions Width Depth	Green Premium RoHS 130 mm 365 mm
USB 2.0 ports quantity Battery	2	Height Weight	120 mm 4.5 kg
Battery technology Battery capacity Typical backup time at full load Typical backup time at half load	Sealed Lead Acid (VRLA) 93 Ah 2 min 9 min	Package width Package depth Package height Package weight Packaging data Manual	186 mm 441 mm 190 mm 5 kg

Logistics data

Harmonized System (HS) code 85078000 Master (outer) case gross weight 16 kg





731304347286

0731304347286

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.