

Samsung QM32R-T Digitaalinen litteä infotaulu 81,3 cm (32") LCD Wi-Fi 400 cd/m² Full HD musta Kosketusnäyttö Tizen 4.0

Tuotemerkki : Samsung

Tuoteperhe: QMR-T

Tuotekoodi:
LH32QMRTBGXEN

Tuotteen nimi : QM32R-T



Samsung QM32R-T. Tuotteen muotoilu: Digitaalinen litteä infotaulu. Näytön halkaisija: 81,3 cm (32"), Näytön teknologia: LCD, Näytön erottelutarkkuus: 1920 x 1080 pikseliä, Näytön kirkkaus: 400 cd/m², HD-tyyppi: Full HD, Kosketusnäyttö. Wi-Fi. Käyttöjärjestelmä asennettu: Tizen 4.0. Tuotteen väri: musta

Display		Design	
Panel type	ELED	Product colour *	Black
LED backlight	✓	Screen shape	Flat
Display diagonal *	81.3 cm (32")	VESA mounting *	✓
Display technology *	LCD	Panel mounting interface	200 x 200 mm
Display resolution *	1920 x 1080 pixels	Bezel colour	Charcoal Black
Display brightness *	400 cd/m ²	Performance	
HD type *	Full HD	Purpose *	Universal
Touchscreen *	✓	HDCP	✓
Touchscreen technology	Capacitive	HDCP version	2.2
Response time	8 ms	Power	
Contrast ratio (typical)	5000:1	Power consumption (typical) *	72 W
Dynamic contrast ratio marketing name	Mega DCR	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50/60 Hz
Viewing angle, vertical	178°	Energy efficiency scale	A+++ to D
Pixel pitch	0.36375 x 0.36375 mm	Computer system	
Display diagonal (metric)	81 cm	Operating system installed	Tizen 4.0
Horizontal scan range	30 - 81 kHz	Weight & dimensions	
Vertical scan range	48 - 75 Hz	Display width	744.4 mm
Native refresh rate	60 Hz	Display depth	48.2 mm
Haze rate	2%	Display height	444.6 mm
Pixel frequency (max)	594 MHz	Display weight	8.3 kg
Colour gamut	72%	Packaging data	
Ports & interfaces		Package width	872 mm
HDMI ports quantity *	2	Package depth	133 mm
HDMI version	2.0	Package height	565 mm
HDMI input ports quantity	2	Package weight	11.1 kg
DVI port *	✗	Operational conditions	
DisplayPorts quantity *	1	Operating temperature (T-T)	0 - 40 °C
DisplayPort version	1.2	Operating relative humidity (H-H)	10 - 80%
USB port *	✓	Certificates	
USB ports quantity	2	Certification	Class B 60950-1
Ethernet LAN *	✓		
Wi-Fi *	✓		
Audio (L/R) out	1		

Ports & interfaces		Other features	
RS-232 interface	✓	Annual energy consumption	66 kWh
Infrared data port	✓	Bluetooth	✓
Design		Flash memory	8000 MB
Product design *	Digital signage flat panel	Video out	1
Placement supported *	Indoor	Energy efficiency class (old)	B
		Optional features	WMN4070SE STN-L3240F



8592978305802



8806090589720

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.