ASUS ProArt PA27UCX-K LED display $68.6\ cm\ (27")\ 3840\ x\ 2160$ pixels 4K Ultra HD Black

Brand: ASUS Product family: ProArt Product code: 90LM04NC-

B01370

Product name: PA27UCX-K

Flicker-free technology

27", IPS, 3840x2160, Off-Axis Contrast Optimization, HDR-10, Dolby Vision, HLG, 576 zones, $\Delta E < 1$, 97% DCI-P3, 99.5% Adobe RGB, 100% sRGB/Rec. 709 , Hardware Calibration, USB-C, Calman Ready, ColourSpace Integration

ASUS ProArt PA27UCX-K. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Display surface: Matt, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black





Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	Headphone outputs	1
Display resolution *	3840 x 2160 pixels	Headphone connectivity	3.5 mm
HD type *	4K Ultra HD	Ergonomics	
Native aspect ratio *	16:9	VESA mounting *	/
Display technology *	LED	Panel mounting interface	100 x 100 mm
Panel type *	IPS	Cable lock slot *	
Touchscreen *	×		√
Display brightness (typical)	1000 cd/m²	Cable lock slot type	Kensington
Response time *	5 ms	Height adjustment *	✓
Display surface	Matt	Adjustable height (max)	12 cm
Screen shape *	Flat	Pivot	✓
Supported graphics resolutions	3840 x 2160	Pivot angle	-90 - 90°
Aspect ratio	16:9	Swivelling	✓
Contrast ratio (typical) *	1000:1	Swivel angle range	-60 - 60°
Contrast ratio (dynamic)	1000000:1	Tilt adjustment	✓
Maximum refresh rate *	144 Hz	Tilt angle range	-5 - 23°
Viewing angle, horizontal	178°	Picture-in-Picture	✓
Viewing angle, vertical	178°	Power	
Display number of colours *	1.073 billion colours		_
Pixel pitch	0.155 x 0.155 mm	Energy efficiency class (SDR) *	G
Viewable size, horizontal	59.6 cm	Energy efficiency class (HDR) *	G
Viewable size, vertical	33.5 cm	Energy consumption (SDR) per 1000 hours *	36 kWh
Digital horizontal frequency	40 - 144 kHz	Energy consumption (HDR) per	
Digital vertical frequency	30 - 60 Hz	1000 hours *	43 kWh
High Dynamic Range (HDR) supported	✓	Power consumption (typical) *	35.9 W
High Dynamic Range (HDR)		Power consumption (standby) *	0.5 W
technology	High Dynamic Range 10 (HDR10)	Power consumption (off)	0.3 W
DDC/CI	✓	AC input voltage	100 - 240 V
sRGB coverage (typical)	100%	AC input frequency	50 - 60 Hz
Adobe RGB coverage	99.5%	Energy efficiency scale	A to G
Performance		European Product Registry for Energy Labelling (EPREL) code	429611
Elister Construction In	_		

Performance		Weight & dimensions	
Low Blue Light technology	✓	Width (with stand)	625.2 mm
Multimedia		Depth (with stand)	228.8 mm
Number of speakers	2	Height (with stand)	544.5 mm
RMS rated power	2 W	Weight (with stand)	11.5 kg
Built-in speaker(s) *	/	Width (without stand)	625.2 mm
Built-in camera *	×	Depth (without stand)	91.3 mm
built-iii Carriera	*	Height (without stand)	367.1 mm
Design		Weight (without stand)	7.6 kg
Market positioning *	Graphics design	Packaging data	
Product colour *	Black	Package width	768 mm
Feet colour	Black	Package depth	479 mm
Ports & interfaces		Package height	355 mm
Built-in USB hub *	✓	Package weight	15.5 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1) USB Type-C	Package type	Box
USB upstream port type		Packaging content	
Number of upstream ports	1	Stand included	✓
USB Type-A downstream ports quantity	4	Cables included	AC
DVI port	X	Other features	
HDMI*			BSMI, CB, CCC, CEL level , CU, ErP, FCC, ISO-9241-307, J-MOSS, KCC, Mac ComplianPSE, UkrSEPRO, UL/cUL, VCCI, WEEE, WHQL (Windows 10, Windows 8.1, Windows 7), MEPS, RCM, TUV
HDMI ports quantity	2	Mac Co UL/cUL Certification (Windo Windo Flicker Low Bl	
HDMI version	2.0b		
DisplayPorts quantity	1		
DisplayPort version	1.2		Flicker-free , KC , eStandby, TUV
Audio input	×		Low Blue Light, ICES-3, PC recycle,
Headphone out *	1		VESA DisplayHDR 1000, CEC
		Logistics data	
		Harmonized System (HS) code	85285210





192876755273

0192876755273



4718017463324

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.