ASUS BE24EQK tietokoneen litteä näyttö 60,5 cm (23.8") 1920 x 1080 pikseliä Full HD LED musta

Tuotemerkki: ASUS **Tuotekoodi**: 90LM05M1-B01370

Tuotteen nimi: BE24EQK

ASUS BE24EQK. Näytön halkaisija: 60,5 cm (23.8"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HDtyyppi: Full HD, Näytön teknologia: LED, Näytön pinta: Matta, Vasteaika (tyypillinen): 5 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus. VESA-kiinnitys. Tuotteen väri: musta





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio *	splay resolution * 1920 x 1080 pixels D type * Full HD ative aspect ratio * 16:9	Headphone outputs Headphone connectivity HDCP AC (power) in	1 3.5 mm ✓
Display technology * Panel type *	LED IPS	Ergonomics	
Touchscreen *	X	VESA mounting *	✓
Display brightness (typical)	300 cd/m ²	Panel mounting interface	100 x 100 mm
Response time *	5 ms	Cable lock slot *	✓
Display surface	Matt	Cable lock slot type	Kensington
Screen shape *	Flat	Height adjustment *	×
Supported graphics resolutions	720 x 480, 720 x 576, 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1280 x 800 (WXGA), 1280 x 960, 1360 x 768 (WXGA),	Tilt adjustment	✓
		Tilt angle range	-5 - 20°
		On Screen Display (OSD)	✓
Supported video modes Contrast ratio (typical) * Contrast ratio (dynamic)	1366 x 768, 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080) 480p, 576p, 720p, 1080p 1000:1 100000000:1	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, French, Hungarian, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Romanian, Russian, Thai, Turkish
Dynamic contrast ratio marketing name	SmartContrast	Number of OSD languages	21
Maximum refresh rate *	75 Hz	LED indicators	✓
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Energy efficiency class (SDR) *	F
Display number of colours * Pixel pitch	16.78 million colours 0.2745 x 0.2745 mm	Energy consumption (SDR) per 1000 hours *	
Viewable size, horizontal	52.7 cm	Power consumption (typical) *	21.7 W
Viewable size, vertical	29.6 cm	Power consumption (standby) *	0.5 W
Viewable size diagonal	60.5 cm	Power consumption (off)	0.3 W

Display		Power	
Digital horizontal frequency Digital vertical frequency NTSC coverage (typical) Performance	30 - 83 kHz 50 - 76 Hz 72%	AC input voltage AC input frequency Energy efficiency scale European Product Registry for Energy Labelling (EPREL) code	100 - 240 V 50 - 60 Hz A to G 387750
NVIDIA G-SYNC *	×	Operational conditions	
AMD FreeSync *	×	Operating temperature (T-T)	0 - 40 °C
Flicker-free technology	✓	Storage temperature (T-T)	-20 - 60 °C
Low Blue Light technology	✓	Weight & dimensions	
Multimedia		Width (with stand)	540 mm
Number of speakers	2	Depth (with stand)	195 mm
RMS rated power	4 W	Height (with stand)	426 mm
Built-in speaker(s) *	✓	Weight (with stand)	4.6 kg
Megapixel (approx.)	2 MP	Width (without stand)	540 mm
Built-in microphone	✓	Depth (without stand)	53 mm
Built-in camera *	✓	Height (without stand)	355 mm
Design		Weight (without stand)	3.9 kg
Market positioning *	Business	Packaging data	
Product colour *	Black	Package width	610 mm
Frameless design	✓	Package depth	168 mm
Feet colour	Black	Package height Package weight	494 mm 6.4 kg
Ports & interfaces		3 3	0.4 Kg
Built-in USB hub *	✓	Packaging content	
Number of upstream ports	1	Stand included	✓ AC HCD
VGA (D-Sub) ports quantity	1	Cables included	AC, USB
DVI port	×	Other features	
HDMI *	✓		Energy Star, BSMI, CB, CCC, CEL level , C-Tick, CU, ErP, FCC,
HDMI ports quantity	1		ISO-9241-307, J-MOSS, KCC, PSE,
HDMI version	1.4	Certification	TCO8.0, UL/cUL, VCCI, WEEE, WHQL (Windows 10, Windows 8.1, Windows 7), MEPS, TUV Flicker-free
DisplayPorts quantity	1		
Display Port your :	1 2		
DisplayPort version	1.2		, KC , eStandby, TUV Low Blue Light,
Audio input	✓		, KC , eStandby, TUV Low Blue Light, ICES-3, EU
		Logistics data Harmonized System (HS) code	





192876562772

0192876562772



4718017562775

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.