tp-link

TP-Link RE505X Verkkotoistin Valkoinen 10, 100, 1000 Mbit/s

Tuotemerkki : TP-Link

Tuotekoodi: RE505X V1

Tuotteen nimi : RE505X

TP-Link RE505X. Malli: Verkkotoistin, Tiedonsiirtonopeus: 1200 Mbit/s, Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Antennityyppi: Ulkoinen. Kaapelitekniikka: 10/100/1000Base-T(X), Verkkostandardit: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, Wi-Fi-standardit: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Tuotteen väri: Valkoinen, LED-merkkivalot: Teho, WAN, WLAN, Sertifiointi: FCC, RoHS. AC-syöttöjännite: 100 - 240 V, AC-syöttötaajuus: 50 - 60 Hz, Tehonkulutus (maks.): 10 W

Performance

Type *	Network repeater
Data transfer rate	1200 Mbit/s
Ethernet LAN data rates	10,100,1000 Mbit/s

Design

Product colour	White
LED indicators	Power, WAN, WLAN
On/off switch	✔
Reset button	✔
Certification	FCC, RoHS

Power

AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power consumption (max)	10 W

Weight & dimensions

Width	74 mm
Depth	46 mm
Height	124.8 mm

Packaging content

Manual	✔
Quick start guide	✔

Packaging data

Package type	Box
Package width	202 mm
Package depth	125 mm
Package height	97 mm
Package weight	400 g

Certificates

Compliance certificates	RoHS

Logistics data

| Performance		Logistics data	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 98SE, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	Harmonized System (HS) code	85176990
Mac compatibility	✔		
Mac operating systems supported	✔		
Linux operating systems supported	✔		
Browser supported	Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other Java-enabled browser		

Antenna

Antennas quantity	2
Antenna type	External

Network

Cabling technology	10/100/1000Base-T(X)
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Wi-Fi	✔
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Wi-Fi data rate (max)	1300 Mbit/s
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK

Ports & interfaces

Ethernet LAN (RJ-45) ports	1

6935364089535