

Lexmark MX521de Laser A4 1200 x 1200 DPI 44 ppm

Brand : Lexmark

Product code: 3650807

Product name : MX521de

Lexmark MX521de. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying. Scanning: Colour scanning. Maximum ISO A-series paper size: A4. Direct printing. Product colour: Black, Grey

Printing		Performance	
Print technology *	Laser	Processor frequency	1000 MHz
Printing *	Mono printing	Processor cores	2
Duplex printing *	✓	Sound pressure level (printing)	56 dB
Maximum resolution *	1200 x 1200 DPI	Sound pressure level (duplex printing)	55 dB
Print speed (black, normal quality, A4/US Letter) *	44 ppm	Sound pressure level (copying)	56 dB
Duplex print speed (black, normal quality, A4/US Letter)	22 ppm	Sound pressure level (scanning)	55 dB
Time to first page (black, normal)	6 s	Sound power level (standby)	14 dB
Print margins (top, bottom, right, left)	4 mm		
Copying		Design	
Copying *	Mono copying	Product colour *	Black, Grey
Copy speed (black, normal quality, A4)	44 cpm	Market positioning *	Business
Time to first copy (black, normal)	6 s	Built-in display *	✓
Copier resize	25 - 400%	Display diagonal	10.9 cm (4.3")
		Touchscreen	✓
		Control type	Touch
		Colour display	✓
Scanning		Power	
Scanning *	Colour scanning	Power consumption (max)	630 W
Optical scanning resolution (colour)	600 x 600 ppi	Power consumption (average operating)	620 W
Maximum scan area	215.9 x 355.6 mm	Power consumption (printing)	620 W
Scanner type *	Flatbed & ADF scanner	Power consumption (copying)	630 W
Scan technology	CIS	Power consumption (scanning)	20 W
Scan to	E-mail, FTP, PC, USB	Power consumption (ready)	14.5 W
Scan speed (colour)	20 ppm	Power consumption (sleep)	2.6 W
Scan speed (black)	42 ppm	Power consumption (off)	0.1 W
Duplex scan speed (colour)	10.5 ppm	Energy Star Typical Electricity Consumption (TEC)	1.9 kWh/week
Duplex scan speed (black)	20 ppm		
Image formats supported	JPEG, JPG, TIFF	System requirements	
Document formats supported	PDF, XPS	Windows operating systems supported	✓
		Mac operating systems supported	✓
		Linux operating systems supported	✓
		Other operating systems supported	✓
Features		Operational conditions	
Recommended duty cycle	2000 - 15000 pages per month	Operating relative humidity (H-H)	8 - 80%
Maximum duty cycle *	120000 pages per month	Operating temperature (T-T)	10 - 32 °C
Printing colours *	Black	Operating altitude	0 - 5000 m
Page description languages	Microsoft XPS, PCL 5e, PCL 6, PDF 1.7, PPDS, PostScript 3		
Input & output capacity			
Total number of input trays *	2		
Total input capacity *	350 sheets		
Total output capacity *	150 sheets		
Maximum number of input trays	5		
Maximum input capacity	2000 sheets		
Maximum output capacity	150 sheets		
Paper handling			
Maximum ISO A-series paper size *	A4		

Paper handling		Certificates	
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper, Transparencies	Certification	ENERGY STAR, ICES-003 Class B, BSMI Class B, VCCI Class B, US FDA, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, NOM, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62301 Class B, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 Class B, EuP, EN 55024, UL), EFTA (CE), KCC, CCC, CECP, CEL, C-tick DoC, UL-AR, KC mark, UL GS mark, EC 1275, MET-I, ISO 532B, ECMA-370, TED, GOST-R, SII, TER
ISO A-series sizes (A0...A9) *	A4, A5, A6		
Non-ISO print media sizes	Executive, Folio, Legal, Letter, Oficio, Statement, Universal		
JIS B-series sizes (B0...B9)	B5		
Envelopes sizes	7 3/4, 9, 10, DL		
Paper tray media weight	60 - 120 g/m ²		
Ports & interfaces		Sustainability	
Standard interfaces	Ethernet, USB 2.0	Sustainability certificates	ENERGY STAR
Direct printing *	✓	Weight & dimensions	
USB port	✓	Width	489 mm
USB connector	USB Type-A / USB Type-B	Depth	429.5 mm
USB 2.0 ports quantity	3	Height	477 mm
Optional connectivity	Wireless LAN	Weight	20.6 kg
Network		Packaging data	
Ethernet LAN *	✓	Package width	511 mm
Cabling technology	10/100/1000Base-T(X)	Package depth	576 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Package height	614 mm
Security algorithms	IPSec, LEAP, MD5, MSCHAPv2, PEAP, SNMPv3, SSL/TLS, TTLS	Package weight	23.7 kg
Supported network protocols (IPv4)	TCP / IP IPv4, AppleTalk ™, TCP, UDP	Packaging content	
Supported network protocols (IPv6)	TCP / IP IPv6	Cartridge(s) included	✓
Management protocols	DHCP, APIPA (AutoIP), BOOTP, RARP, mDNS, IGMP, WINS, DDNS, SNMPv3, SNMPv1, SNMPv2c, Telnet, NTP, ICMP, HTTP, DNS, ARP, HTTPs (SSL /TLS), Finger	Included cartridge capacity (black)	6000 pages
Network printing methods	LPR/LPD, Direct IP (Port 9100), Pull Printing, Microsoft Web Services WSD, Secure IP (Port 96xx), FTP, TFTP, Enhanced IP (Port 9400), ThinPrint .print integration, IPP 1.0, 1.1, 2.0 (Internet Printing Protocol)	Imaging unit included	✓
Authentication method	802.1x	Cables included	Phone
Mobile printing technologies	Apple AirPrint	Manual	✓
Performance		Power cord included	✓
Maximum internal memory	1024 MB	Warranty card	✓
Card reader integrated	✓	Other features	
Internal memory *	1024 MB	Safety sheet	✓
Built-in processor	✓	Finishing option	✗
		Software CD	✓
		Documentation CD	✓



0734646661683



734646661683

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.