

## Lexmark MX622ade Laser A4 1200 x 1200 DPI 47 ppm

**Brand :** Lexmark

**Product code:** 36S0907

**Product name :** MX622ade

Lexmark MX622ade. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying. Scanning: Colour scanning. Faxing: Mono faxing. Maximum ISO A-series paper size: A4. Direct printing. Product colour: Black, Grey

Printing		Network	
Print technology *	Laser	Mobile printing technologies	Apple AirPrint
Printing *	Mono printing	<b>Performance</b>	
Duplex printing *	✓	Maximum internal memory	2048 MB
Maximum resolution *	1200 x 1200 DPI	Card reader integrated	✓
Print speed (black, normal quality, A4/US Letter) *	47 ppm	Internal memory *	2048 MB
Duplex print speed (black, normal quality, A4/US Letter)	24 ppm	Built-in processor	✓
Time to first page (black, normal)	6 s	Processor frequency	1200 MHz
Print margins (top, bottom, right, left)	4 mm	Processor cores	4
<b>Copying</b>		Sound pressure level (printing)	55 dB
Duplex copying *	✓	Sound pressure level (duplex printing)	54 dB
Copying *	Mono copying	Sound pressure level (copying)	56 dB
Copy speed (black, normal quality, A4)	47 cpm	Sound pressure level (scanning)	55 dB
Time to first copy (black, normal)	6 s	Sound power level (standby)	14 dB
Copier resize	25 - 400%	<b>Design</b>	
<b>Scanning</b>		Product colour *	Black, Grey
Scanning *	Colour scanning	Market positioning *	Business
Optical scanning resolution (black)	1200 x 600 ppi	Built-in display *	✓
Optical scanning resolution (colour)	600 x 600 ppi	Display diagonal	17.8 cm (7")
Maximum scan resolution	1200 x 600 DPI	Touchscreen	✓
Maximum scan area	215.9 x 355.6 mm	Control type	Touch
Scanner type *	Flatbed & ADF scanner	Colour display	✓
Scan technology	CIS	<b>Power</b>	
Scan to	E-mail, FTP, PC, USB	Power consumption (max)	680 W
Scan speed (colour)	30 ppm	Power consumption (average operating)	670 W
Scan speed (black)	47 ppm	Power consumption (printing)	670 W
Duplex scan speed (colour)	60 ppm	Power consumption (copying)	680 W
Duplex scan speed (black)	94 ppm	Power consumption (scanning)	23.5 W
Image formats supported	JPEG, JPG, TIFF	Power consumption (ready)	16.5 W
Document formats supported	PDF, XPS	Power consumption (sleep)	2.5 W
<b>Fax</b>		Power consumption (off)	0.1 W
Duplex faxing	✓	Energy Star Typical Electricity Consumption (TEC)	2.1 kWh/week
Faxing *	Mono faxing	<b>System requirements</b>	
Fax transmission speed	3 sec/page	Windows operating systems supported	✓
Modem speed	33.6 Kbit/s	Mac operating systems supported	✓
<b>Features</b>		Linux operating systems supported	✓
Recommended duty cycle	2000 - 20000 pages per month	Other operating systems supported	✓
Maximum duty cycle *	175000 pages per month	<b>Operational conditions</b>	
Printing colours *	Black	Operating relative humidity (H-H)	8 - 80%
Page description languages	Microsoft XPS, PCL 5e, PCL 6, PDF 1.7, PPDS, PostScript 3	Operating temperature (T-T)	10 - 32 °C
<b>Input &amp; output capacity</b>		Operating altitude	0 - 5000 m
Total number of input trays *	2		

<b>Input &amp; output capacity</b>		<b>Certificates</b>	
Total input capacity *	650 sheets	Certification	ENERGY STAR, ICES-003 Class B, BSMI Class B, VCCI Class B, US FDA, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, NOM, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62301 Class B, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 Class B, EuP, EN 55024, UL), EFTA (CE), KCC, CCC, CECP, CEL, C-tick DoC, UL-AR, KC mark, UL GS mark, EC 1275, MET-I, ISO 532B, ECMA-370, TED, GOST-R, SII, TER
Total output capacity *	250 sheets		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	100 sheets		
Maximum number of input trays	5		
Maximum input capacity	2300 sheets		
Maximum output capacity	250 sheets		
<b>Paper handling</b>		<b>Sustainability</b>	
Maximum ISO A-series paper size *	A4	Sustainability certificates	ENERGY STAR
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper, Transparencies	<b>Weight &amp; dimensions</b>	
ISO A-series sizes (A0...A9) *	A4, A5, A6	Width	489 mm
Non-ISO print media sizes	Executive, Folio, Legal, Letter, Oficio, Statement, Universal	Depth	476.5 mm
JIS B-series sizes (B0...B9)	B5	Height	545 mm
Envelopes sizes	7 3/4, 9, 10, DL	Weight	22.3 kg
Paper tray media weight	60 - 120 g/m <sup>2</sup>	<b>Packaging data</b>	
<b>Ports &amp; interfaces</b>		Package width	552 mm
Standard interfaces	Ethernet, USB 2.0	Package depth	605 mm
Direct printing *	✓	Package height	682 mm
USB port	✓	Package weight	26.6 kg
USB connector	USB Type-A / USB Type-B	<b>Packaging content</b>	
USB 2.0 ports quantity	3	Cartridge(s) included	✓
Optional connectivity	Wireless LAN	Included cartridge capacity (black)	6000 pages
<b>Network</b>		Imaging unit included	✓
Ethernet LAN *	✓	Cables included	Phone
Cabling technology	10/100/1000Base-T(X)	Manual	✓
Ethernet LAN data rates	10,100,1000 Mbit/s	Power cord included	✓
Security algorithms	IPSec, LEAP, MD5, MSCHAPv2, PEAP, SNMPv3, SSL/TLS, TTLS	Warranty card	✓
Supported network protocols (IPv4)	TCP / IP IPv4, AppleTalk™, TCP, UDP	<b>Other features</b>	
Supported network protocols (IPv6)	TCP / IP IPv6	Safety sheet	✓
Management protocols	DHCP, APIPA (AutoIP), BOOTP, RARP, mDNS, IGMP, WINS, DDNS, SNMPv3, SNMPv1, SNMPv2c, Telnet, NTP, ICMP, HTTP, DNS, ARP, HTTPS (SSL /TLS), Finger	Finishing option	✓
		Software CD	✓
Network printing methods	LPR/LPD, Direct IP (Port 9100), Pull Printing, Microsoft Web Services WSD, Secure IP (Port 96xx), FTP, TFTP, Enhanced IP (Port 9400), ThinPrint .print integration, IPP 1.0, 1.1, 2.0 (Internet Printing Protocol)	Documentation CD	✓
Authentication method	802.1x		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.