

Epson EcoTank ET-M2120

Tuotemerkki : Epson

Tuoteperhe: EcoTank

Tuotekoodi: C11CJ18401

Tuotteen nimi : EcoTank ET-M2120



- Pienennä tulostuskustannuksiasi: Yksi mustepullo vastaa viittä väriainekasettia¹
- Luotettava ja kestävä: Yhden vuoden tai 100 000 sivun takuu
- Vähennä energiankulutusta: Säästä jopa 95 % virrankulutuksessa⁴
- Täytä ja tulosta: Taloudellinen mustesäiliö riittää tuhansien sivujen tulostukseen
- Nopea tulostus ja Wi-Fi: Mobiilitulostus, tulostusnopeus 15 s/min³, nopea ensimmäisen sivun tulostus

EcoTank ET-M2120

Epson EcoTank ET-M2120. Tulostustekniikka: Mustesuihku, Tulostus: Yksittäistulostus, Suurin resoluutio:

1440 x 720 DPI. Kopiointi: Yksittäiskopiointi. Skannaus: Mono-skannaus, Optinen

skannauserottelutarkkuus: 2400 x 1200 DPI. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Suoratulostus.

Tuotteen väri: musta, Valkoinen



Printing		Design	
Print technology *	Inkjet	Built-in display *	✓
Printing *	Mono printing	Display	LCD
Maximum resolution *	1440 x 720 DPI	Display diagonal	3.81 cm (1.5")
Print speed (black, normal quality, A4/US Letter) *	32 ppm	Colour display	✓
Print speed (ISO/IEC 24734) mono	15 ipm	Power	
Print speed (ISO/IEC 24734) black	15 ppm	Power consumption (max)	15 W
Time to first page (black, normal)	8 s	Power consumption (PowerSave)	0.7 W
Economical printing	✓	Power consumption (copying)	15 W
Booklet printing function	✓	Power consumption (ready)	4.3 W
Copying		Power consumption (off)	0.2 W
Copying *	Mono copying	Energy Star Typical Electricity Consumption (TEC)	0.2 kWh/week
Scanning		AC input voltage	220 - 240 V
Scanning *	Mono scanning	AC input frequency	50 - 60 Hz
Optical scanning resolution *	2400 x 1200 DPI	System requirements	
Scan technology	CIS	Windows operating systems supported	Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64, Windows XP Professional x64, Windows XP
Image formats supported	BMP, JPEG, PICT, TIFF, PNG	Mac operating systems supported	Mac OS X 10.6 Snow Leopard
Document formats supported	PDF	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2003 R2, Windows Server 2003
Fax		Weight & dimensions	
Faxing *	✗	Width	375 mm
Features		Depth	318 mm
Maximum duty cycle *	15000 pages per month	Height	200 mm
Ink tank system	✓	Weight	5 kg
Number of print cartridges *	1	Packaging data	
Printing colours *	Black	Package width	390 mm
All-In-One-multitasking	✓		
Country of origin	Philippines		
Input & output capacity			
Total number of input trays *	1		
Total input capacity *	150 sheets		
Total output capacity *	30 sheets		

Paper handling		Packaging data	
Maximum ISO A-series paper size *	A4	Package depth	435 mm
Paper tray media types *	Plain paper, Thick paper, Thicker paper, Thin paper	Package height	275 mm
ISO A-series sizes (A0...A9) *	A4, A5, A6	Package weight	6.38 kg
ISO C-series sizes (C0...C9)	C6	Quantity per pack	1 pc(s)
Non-ISO print media sizes	Legal	Packaging content	
Envelopes sizes	10	Cartridge(s) included	✓
Paper tray media weight	64 - 90 g/m ²	Included cartridge capacity (black)	5000 pages
Ports & interfaces		Cables included	AC
Direct printing *	✓	Drivers included	✓
USB port	✓	Manual	✓
USB connector	USB Type-A	Warranty card	✓
USB 2.0 ports quantity	1	Logistics data	
Optional connectivity	Wireless LAN	Harmonized System (HS) code	84433100
Network		Pallet gross weight	0 g
Wi-Fi *	✓	Products per pallet	28 pc(s)
Wi-Fi Direct	✓	Pallet weight (UK)	0 g
Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-PSK, WPA2-AES	Products per pallet (UK)	42 pc(s)
Mobile printing technologies	Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Apple AirPrint	Other features	
Design		Printing method	Epson Micro Piezo
Product colour *	Black, White	Wireless technology	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES)
Market positioning *	Home & office	Compatible operating systems	Mac OS X 10.6.8 or later, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 Bit), Windows 8.1 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 Bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), Windows Server 2003 R2, Windows Server 2003 SP2 or later
		Ink drop	3
		Print head nozzles	180 nozzles black



8715946670362

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date