

Epson WorkForce Pro WF-C8190DTWC inkjet printer Colour 4800 x 1200 DPI A3 Wi-Fi

Brand : Epson

Product family: WorkForce Pro **Product code:** C11CG70401BR

Product name : WF-C8190DTWC

- Benefit from A3 printing: Print in-house leaflets, brochure drafts, spreadsheets and more
- Ecological: Keep energy bills low and reduce your impact on the environment
- Save money: Further lower costs by changing consumables less
- Save time: 5.5 seconds FPOT (from ready mode)
- Built for business: DuraBrite Pro pigment inks

A3, 4800 x 1200DPI, USB 2.0, USB 3.0, Ethernet, Wi-Fi, NFC

Epson WorkForce Pro WF-C8190DTWC. Colour, Maximum duty cycle: 75000 pages per month. Maximum resolution: 4800 x 1200 DPI. Maximum ISO A-series paper size: A3. Print speed (black, normal quality, A4/US Letter): 35 ppm. Duplex printing. Display: LCD. Wi-Fi. Product colour: White



Features		Network	
Recommended duty cycle	500 - 5000 pages per month	Ethernet LAN *	✓
Duplex printing *	✓	Wi-Fi *	✓
Duplex printing mode	Auto	Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Page description languages *	PCL 5c, PCL 6, ESC/P-R, PostScript 3, PDF 1.7	Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-AES, WPA2-Enterprise
Printing colours *	Black, Cyan, Yellow, Magenta	Supported network protocols	TCP/IPv4, TCP/IPv6
Print head nozzles	800 nozzles black, 800 nozzles per colour	Mobile printing technologies	Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Apple AirPrint, Google Cloud Print
Colour *	✓		
Maximum duty cycle *	75000 pages per month		
Printing		Performance	
Print speed (colour, draft quality, A4/US Letter)	35 ppm	Sound pressure level (printing)	51 dB
Maximum resolution *	4800 x 1200 DPI	Sound power level (printing)	6.7 dB
Print speed (black, normal quality, A4/US Letter) *	35 ppm		
Print speed (black, normal quality, A3)	13 ppm	Design	
Print speed (colour, normal quality, A3)	13 ppm	Market positioning *	Business
Time to first page (black, normal)	5.5 s	Product colour *	White
Time to first page (colour, normal)	5.5 s	Built-in display *	✓
Print speed (ISO/IEC 24734) mono	24 ipm	Display	LCD
Print speed (ISO/IEC 24734) colour	24 ipm	Colour display	✓
Duplex print speed (ISO/IEC 24734, A4) black	16 ppm	Display diagonal	6.1 cm (2.4")
Duplex print speed (ISO/IEC 24734, A4) colour	16 ppm	Country of origin	Indonesia
Duplex print speed (ISO/IEC 24734, A3) black	11 ppm	Power	
		Power consumption (printing) *	37 W
		Power consumption (off)	0.2 W
		Power consumption (ready)	8.5 W
		Energy Star Typical Electricity Consumption (TEC)	0.2 kWh/week
		AC input voltage	220 - 240 V

Printing		System requirements	
Duplex print speed (ISO/IEC 24734, A3) colour	11 ppm	Windows operating systems supported	✓
Input & output capacity		Mac operating systems supported	✓
Total number of input trays *	3	Linux operating systems supported	✓
Total input capacity *	750 sheets	Other operating systems supported	Android
Total output capacity *	250 sheets	Sustainability	
Multi-Purpose tray	✓	Sustainability certificates	ENERGY STAR
Multi-Purpose tray input capacity	85 sheets	Weight & dimensions	
Maximum input capacity	1835 sheets	Width	613 mm
Paper input type	Paper tray	Depth	755 mm
Paper handling		Height	1058 mm
Maximum ISO A-series paper size *	A3	Packaging data	
Paper tray media types *	Plain paper, Recycled paper, Art paper, Letterhead, Glossy paper, Photo paper	Quantity per pack	1 pc(s)
Multi-purpose tray media types	Envelopes, Plain paper	Cables included	AC
ISO A-series sizes (A0...A9) *	A3, A3+, A4, A5, A6	Manual	✓
ISO B-series sizes (B0...B9)	B5	Package width	720 mm
Non-ISO print media sizes	Legal, Letter	Package depth	720 mm
Envelopes sizes	10, C4, C6	Package height	1740 mm
Photo paper sizes	10x15,13x18,20x25	Package weight	110.5 kg
Custom media width	55 - 127 mm	Logistics data	
Custom media length	330 - 1200 mm	Pallet gross length	120 cm
Paper tray media weight	64 - 300 g/m ²	Pallet gross width	80 cm
Ports & interfaces		Pallet gross height	100 cm
USB port *	✓	Products per pallet layer	1 pc(s)
USB 2.0 ports quantity	1	Products per pallet layer (UK)	1 pc(s)
Direct printing	✓	Products per pallet (UK)	1 pc(s)
Standard interfaces	Ethernet, NFC, USB 2.0, USB 3.2 Gen 1 (3.1 Gen 1), Wireless LAN	Pallet length (UK)	120 cm
		Pallet width (UK)	100 cm
		Pallet height (UK)	100 cm
		Harmonized System (HS) code	84433210
		Products per pallet	1 pc(s)
		Other features	
		Printing method	Epson PrecisionCore
		Ink drop	4.6



8715946654690

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-NOV-2024. Prints or copies of Information are only valid on the printed Publication date