

Canon i-SENSYS MF522x Laser A4 1200 x 1200 DPI 43 ppm Wi-Fi



Tuotemerkki : Canon

Tuoteperhe: i-SENSYS

Tuotekoodi: 2223C004

Tuotteen nimi : MF522x

Canon i-SENSYS MF522x. Tulostustekniikka: Laser, Tulostus: Yksittäistulostus, Suurin resoluutio: 1200 x 1200 DPI. Kopiointi: Yksittäiskopiointi, Kopiointin enimmäistarkkuus: 600 x 600 DPI. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 600 x 600 DPI. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Suoratulostus. Tuotteen väri: musta, Valkoinen

Printing		Paper handling	
Duplex printing mode	Auto	Multi-purpose tray media types	Envelopes, Executive, Legal, Letter
Print technology *	Laser	ISO A-series sizes (A0...A9) *	A4, A5, A6
Printing *	Mono printing	ISO B-series sizes (B0...B9)	B5
Duplex printing *	✓	Non-ISO print media sizes	16K, Index card
Maximum resolution *	1200 x 1200 DPI	Envelopes sizes	10, C5, DL
Print speed (black, normal quality, A4/US Letter) *	43 ppm	Custom media width	76.2 - 215.9 mm
Warm-up time	14 s	Custom media length	127 - 355.6 mm
Time to first page (black, normal)	6.2 s	Paper tray media weight	52 - 120 g/m ²
Print margins (top, bottom, right, left)	5 mm	Auto Document Feeder (ADF) media weight	50 - 105 g/m ²
Barcode printing	✓	Ports & interfaces	
Secure printing	✓	Standard interfaces	Ethernet, USB 2.0, Wireless LAN
		Direct printing *	✓
		USB port	✓
Copying		Network	
Duplex copying *	✓	Wi-Fi *	✓
Copying *	Mono copying	Ethernet LAN *	✓
Maximum copy resolution *	600 x 600 DPI	Cabling technology	10/100/1000Base-T(X)
Copy speed (black, normal quality, A4)	43 cpm	Ethernet LAN data rates	10,100,1000 Mbit/s
Duplex copy speed (black, US Letter)	34.4 ppm	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Time to first copy (black, normal)	6.4 s	Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-AES, WPA-PSK, WPA2
Maximum number of copies	999 copies	Supported network protocols (IPv4)	, ARP+PING, Auto IP, WINS, Bonjour(mDNS), HTTP, HTTPS, POP before SMTP
Copier resize	25 - 400%	Supported network protocols (IPv6)	DHCPv6, Bonjour(mDNS), HTTP, HTTPS, POP before SMTP
N-in-1 copy function	✓	Management protocols	SNMPv1, SNMPv3
N-in-1 copy function (N=)	2, 4	IP address filtering	✓
ID-card copy function	✓	Mobile printing technologies	Apple AirPrint, Canon PRINT Business, Google Cloud Print, Mopria Print Service
Edge erase function	✓	Performance	
Scanning		Card reader integrated	✗
Duplex scanning *	✓	Internal memory *	1024 MB
Scanning *	Colour scanning	Built-in processor	✓
Optical scanning resolution *	600 x 600 DPI	Processor frequency	800 MHz
Optical scanning resolution (black)	300 x 600 ppi	Design	
Optical scanning resolution (colour)	300 x 600 ppi	Product colour *	Black, White
Maximum scan resolution	9600 x 9600 DPI	Market positioning *	Business
Scanner type *	Flatbed & ADF scanner	Built-in display *	✓
Scan to	Cloud, E-mail, FTP, PC, USB	Display	LCD
Image formats supported	JPEG, PNG, TIFF	Display diagonal	12.7 cm (5")
Document formats supported	PDF		
Input colour depth	24 bit		
Output colour depth	24 bit		
Greyscale levels	256		
Scan drivers	ICA, TWAIN, WIA		

Fax		Design	
Faxing *	✗	Touchscreen	✓
Features		Control type	Touch
Recommended duty cycle	2000 - 7500 pages per month	Colour display	✓
Maximum duty cycle *	150000 pages per month	Power	
Number of print cartridges *	1	Power consumption (standby)	17 W
Page description languages	PCL 5e, PCL 6, PostScript, UFR II	Power consumption (sleep)	0.9 W
Printer fonts	PCL, PostScript	Energy Star Typical Electricity Consumption (TEC)	1.5 kWh/week
Number of printer fonts	229	AC input voltage	220 - 240 V
Number of PCL fonts	93	AC input frequency	50 - 60 Hz
Number of PostScript fonts	136	System requirements	
Input & output capacity		Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Total number of input trays *	1		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Total input capacity *	550 sheets	Mac operating systems supported	
Total output capacity *	250 sheets	Linux operating systems supported	✓
Multi-Purpose tray	✓	Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Multi-Purpose tray input capacity	100 sheets		
Paper input type	Cassette, Paper tray	Operational conditions	
Auto document feeder (ADF)	✓	Operating relative humidity (H-H)	20 - 80%
Auto document feeder (ADF) input capacity	50 sheets	Operating temperature (T-T)	10 - 30 °C
Paper handling		Weight & dimensions	
Maximum ISO A-series paper size *	A4	Width	480 mm
Paper tray media types *	Envelopes, Heavy paper, Labels, Plain paper, Postcard, Recycled paper, Thin paper	Depth	464 mm
		Height	452 mm
		Weight	20 kg
		Other features	
		Fonts included	✓
		Cartridge type	041, 041H
		Noise level	72.9 dB
		Print resolution	600 x 600 DPI



4549292090307

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date