StarTech.com US1GC30W verkkokortti Ethernet 5000 Mbit/s

Tuotemerkki : StarTech.com

Tuotekoodi: US1GC30W

Tuotteen nimi : US1GC30W

StarTech.com US1GC30W. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: USB Type-C, Käyttöliittymä: Ethernet. Tiedonsiirron enimmäisnopeus: 5000 Mbit/s. USB-virta. Tuotteen väri: Valkoinen

Ports & interfaces

Connectivity technology *	Wired
Host interface *	USB Type-C
Interface *	Ethernet
Ethernet LAN (RJ-45) ports	1
USB version	3.2 Gen 1 (3.1 Gen 1)

Network

Maximum data transfer rate *	5000 Mbit/s
Networking standards *	IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u
Ethernet LAN	✔
Ethernet interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Cabling technology	10/100/1000BaseT(X)
Wake-on-LAN ready	✔
Auto MDIX IEEE	✔
Full duplex	✔
Jumbo frames support	✔
Jumbo frames	9000
VLAN tagging	✔

Design

Product colour	White
Internal *	✘
Chipset	Realtek - RTL8153

Power

USB powered	✔

System requirements

Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2016, Windows Server 2019

Operational conditions

Operating temperature (T-T)	0 - 70 °C
Storage temperature (T-T)	-10 - 80 °C
Operating relative humidity (H-H)	5 - 90%

Sustainability

Sustainability compliance	✔

Weight & dimensions

Width	25 mm
Depth	210 mm
Height	15 mm
Weight	24 g

Packaging data

Package width	143 mm
Package depth	172 mm
Package height	32 mm
Package weight	82 g

Technical details

Compliance certificates	CE, RoHS

Logistics data

Harmonized System (HS) code	85176990
Master (outer) case width	336 mm
Master (outer) case length	528 mm
Master (outer) case height	310 mm

System requirements

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Linux operating systems supported	✔

Logistics data

Products per master (outer) case	60 pc(s)

Other features

Housing material	Plastic
Cable length	0.145 m

0065030862974

065030862974

3523210098386