




## TP-Link TL-SG105PE verkkokytkin Hallittu L2 Gigabit Ethernet (10/100/1000) Power over Ethernet -tuki musta

**Tuotemerkki :** TP-Link

**Tuotekoodi:** TL-SG105PE

**Tuotteen nimi :** TL-SG105PE




TP-Link TL-SG105PE. Kytin tyyppi: Hallittu, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 5. MAC-osoitetaulukko: 2000 entries, Kytentäkapasiteetti: 10 Gbit/s. Verkkostandardit: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE.... Power over Ethernet -tuki

Management features		Design	
Switch type *	Managed	Rack mounting *	✗
Switch layer	L2	Product colour	Black
Quality of Service (QoS) support	✓	LED indicators	Activity, Link, PoE, Power, Speed, Status
Web-based management	✓		
Ports & interfaces		Performance	
Basic switching RJ-45 Ethernet ports quantity *	5	Fanless	✓
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power	
Gigabit Ethernet (copper) ports quantity	5	Power source *	DC
Network		Power supply included *	✓
Networking standards *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Input current	1.31 A
10G support *	✗	Input voltage	53.5 V
Copper ethernet cabling technology	10BASE-T, 100BASE-FX, 100BASE-TX, 1000BASE-T	Power consumption (max)	75.16 W
Cable types supported	Cat3, Cat4, Cat5, Cat5e, Cat6	Power over Ethernet (PoE)	
Port mirroring	✓	Power over Ethernet (PoE) *	✓
Flow control support	✓	Power over Ethernet plus (PoE+) ports quantity	4
Link aggregation	✓	Power over Ethernet (PoE) power per port	30 W
Broadcast storm control	✓	Total Power over Ethernet (PoE) budget	65 W
Rate limiting	✓	Operational conditions	
Auto MDI/MDI-X	✓	Operating temperature (T-T)	0 - 40 °C
Auto-negotiation	✓	Storage temperature (T-T)	-40 - 70 °C
VLAN support	✓	Operating relative humidity (H-H)	10 - 90%
		Storage relative humidity (H-H)	5 - 95%
		Heat dissipation	256.3 BTU/h

<b>Network</b>		<b>Weight &amp; dimensions</b>	
Virtual LAN features	Port-based VLAN, Tagged VLAN	Width	99.8 mm
Number of VLANs	4000	Depth	98 mm
<b>Data transmission</b>		Height	25 mm
Switching capacity *	10 Gbit/s	<b>Packaging content</b>	
Forwarding rate	7.44 Mpps	User guide	✓
MAC address table *	2000 entries	<b>Packaging data</b>	
Store-and-forward	✓	Package width	131 mm
Number of queues	4	Package depth	196 mm
Jumbo frames support	✓	Package height	121 mm
Jumbo frames	16000	Package weight	770 g
Packet buffer memory	1 MB	<b>Certificates</b>	
<b>Security</b>		Certification	FCC, CE, RoHS
IGMP snooping	✓	<b>Logistics data</b>	
Loop protection	✓	Harmonized System (HS) code	85176990



6935364052744



6935364052751



0845973089986



845973089986

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.