## QNAP

Tuotteen nimi: TS-432PXU-RP

## QNAP TS-432PXU-RP NAS Teline ( 1U ) Annapurna Labs Alpine AL-324 2 GB DDR4 0 TB musta

Tuotemerkki : QNAP Tuotekoodi: TS-432PXU-RP-2G

•

QNAP TS-432PXU-RP. Malli: NAS. Alustatyyppi: Teline ( 1U ). Laitteen luokka: Pienet & Keskikokoiset Yritykset. Suoritinperhe: Annapurna Labs, Prosessorimalli: Alpine AL-324, Prosessorin taajuus: 1,7 GHz.

Sisäinen muisti: 2 GB, Sisäisen muistin tyyppi: DDR4. Asennetun muistin kokonaiskapasiteetti: 0 TB





Storage		Design	
Storage drive capacity *	0 GB	Product colour	Black
Supported storage drive interfaces	Serial ATA II, Serial ATA III	Number of fans	2 fan(s)
Storage drive sizes supported	2.5,3.5"	Fan diameter	4 cm
RAID support *	<b>✓</b>	LED indicators	HDD, LAN, Status
RAID levels	0, 1, 5, 6, 10, JBOD	Performance	
Online RAID migration	✓	Type *	NAS
Online RAID expansion	<b>✓</b>	Device class *	Small & Medium Business
RAID rebuild	✓	Backup function *	✓
Hot-swap drive bays	✓	Backup features	Cloud, iSCSI LUN
Supported file systems	FAT32, HFS+, NTFS, ext3, ext4	Buzzer	✓
Storage drives installed *	×	Multilingual support	✓
Total installed storage capacity *	0 TB	Snapshot	✓
Number of storage drives supported	4	Web-based management	<b>✓</b>
Installed storage drive type *	×	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SSH, SSL/TLS
Supported storage drive types *	HDD & SSD	Access Control List (ACL)	✓
Bad block scan	✓	Reset button	<b>✓</b>
Processor		On/off switch	<b>✓</b>
Processor manufacturer *	Annapurna Labs	Built-in FTP server	<b>✓</b>
Processor family * Processor model * Processor frequency *	Annapurna Labs Alpine AL-324 1.7 GHz	Browser supported	Mozilla Firefox, Microsoft Internet Explorer 10+, Apple Safari 7+, Google Chrome
Processor cores	4	System log	✓
Memory		Hot spare	✓
•	2 GB	S.M.A.R.T. support	✓
Internal memory * Internal memory type	DDR4	Share folder	CIFS/SMB
Maximum RAM supported	16 GB	Universal Plug and Play (UPnP)	✓
Memory slots	1	USB copy function	✓
Memory form factor	UDIMM	Software	
Flash memory	512 MB	Operating system version	5.0.0
Network		Windows operating systems	Windows 10, Windows 7, Windows 8
Ethernet LAN *	<b>✓</b>	supported	WITHOUGH TO, WITHOUGH 7, WITHOUGH 0
Ethernet LAN data rates	100,1000,2500,10000 Mbit/s	Linux operating systems supported	✓

		G . 6	
Network		Software	
Ethernet LAN data rate supported (max)	10000 Mbit/s	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra,
DHCP client DHCP server	✓ ✓	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina
Jumbo frames support	<b>√</b>		Windows Server 2008 R2, Windows
iSCSI support	✓	Server operating systems supported	R2, Windows Server 2016, Windows
Wake-on-LAN ready	✓		Server 2019
Supported network protocols	PPTP, L2TP/IPSec, OpenVPN, QBelt	Power	
Link aggregation	✓	Power supply location	Built-in
Load balancing system	<b>✓</b>	Power supply unit (PSU) capacity	250 W
WLAN adapter supported	✓	Number of power supply units	2
Ports & interfaces		Power consumption (typical)	53.343 W
	1	AC input voltage	100 - 240 V
USB port *	·	Fan voltage	12 V
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	Weight & dimensions	
Fiber ports quantity	2	Width *	439 mm
Fiber optic connector	SFP+	Depth *	499 mm
Ethernet LAN (RJ-45) ports *	2	Height *	44 mm
Design		Weight	8.12 kg
Chassis type *	Rack (1U)	Packaging content	
Cooling type *	Active	Cables included	AC, LAN (RJ-45)
		Number of screws	28
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	5 - 95%
		Storage temperature (T-T)	-20 - 70 °C
		Logistics data	
		Harmonized System (HS) code	84714100



4713213518168

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.