

## D-Link DAP-1610 Verkkolähetin ja -vastaanotin Valkoinen 10, 100 Mbit/s

**Tuotemerkki :** D-Link

**Tuotekoodi:** DAP-1610/E


**Tuotteen nimi :** DAP-1610

D-Link DAP-1610. Malli: Verkkolähetin ja -vastaanotin, Tiedonsiirtonopeus: 1167 Mbit/s, Ethernet LAN - datanopeudet: 10,100 Mbit/s. Antennityyppi: Ulkoinen. Kaapelitekniikka: 10/100Base-T(X), Verkkostandardit: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3ab, Wi-Fi-standardit: 802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n). Tuotteen väri: Valkoinen, LED-merkkivalot: Signaalin vahvuus, Tila, WPS, Sertifiointi: FCC, CE, UL, IC. AC-syöttöjännite: 100 - 240 V, AC-syöttötaajuus: 50 - 60 Hz



Performance		Operational conditions	
Type *	Network transmitter & receiver	Storage relative humidity (H-H)	5 - 90%
Data transfer rate	1167 Mbit/s	Weight & dimensions	
Ethernet LAN data rates	10,100 Mbit/s	Width	97.9 mm
WPS push button	✓	Depth	50.7 mm
Plug and Play	✓	Height	48.7 mm
Antenna		Weight	120 g
Antennas quantity	2	Packaging data	
Antenna type	External	Package width	104 mm
Network		Package depth	161 mm
Cabling technology	10/100Base-T(X)	Package height	94 mm
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3ab	Package weight	313 g
	Wi-Fi	✓	Logistics data
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Shipping (inner) case height	35.7 cm
Wi-Fi data rate (max)	1167 Mbit/s	Shipping (inner) case width	22.7 cm
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)	Shipping (inner) case length	50.1 cm
Security algorithms	WPA, WPA2	Shipping (inner) case net weight	6.26 kg
Web-based management	✓	Products per shipping (inner) case	20 pc(s)
Ports & interfaces		Pallet gross weight (air)	221.4 kg
Ethernet LAN (RJ-45) ports	1	Master (outer) cases per pallet (air)	30 pc(s)
		Products per pallet (air)	600 pc(s)
		Pallet gross length	120 cm
		Pallet gross width	110 cm
		Pallet height (air)	120.6 cm

Design		Logistics data	
Product colour	White	Pallet gross weight (sea)	361 kg
LED indicators	Signal strength, Status, WPS	Master (outer) cases per pallet (sea)	50 pc(s)
Reset button	✓	Products per pallet (sea)	1000 pc(s)
Certification	FCC, CE, UL, IC	Pallet height (sea)	192 cm
Power		Shipping (inner) case gross weight	6.98 kg
AC input voltage	100 - 240 V	Harmonized System (HS) code	85176990
AC input frequency	50 - 60 Hz		
Operational conditions			
Operating temperature (T-T)	0 - 35 °C		
Storage temperature (T-T)	-20 - 70 °C		
Operating relative humidity (H-H)	10 - 90%		



0790069434518



790069434518

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.